

Blautherm

Colección Collection



Características Técnicas

- Cartucho cerámico Ø35 mm.
- Cartucho Termostático con Sistema Hot Block de seguridad antiquemaduras.
- Distribuidor 2 vías sin cierre
- Sistema de ahorro de agua S2 mediante la apertura de la manecilla en dos fases.
- Caudal a 3 bar: Salida baño 20 l/min, 12 l/min en salida teleducha y 16 l/min en salida rociador.
- Resistente al choque térmico y químico antilegionela.
- Presión de uso entre 1-5 bar. Recomendada 3 bar.
- Instalación mínima recomendada con calentadores a gas o eléctricos a partir de 10 litros y una potencia de 18 Kw.
- Resiste presiones estáticas igual o inferior a 10 bar y golpes de ariete de 25 bar.
- Nivel acústico a 3 bar: inferior a 20 dB.
- Prestaciones de confort a nivel de fidelidad, sensibilidad y constancia en la selección de la temperatura.
- Temperatura recomendada de agua caliente 55°C. Temperatura máxima de uso 65°C. Máximo 1h a 90°C.
- Superficie cromada: 15 micras de espesor de níquel, 0.3 micras de cromo.

Technical Characteristics

- Ceramic cartridge Ø35 mm.
- Thermostatic cartridge with Hot Block system for anti burn safety.
- Diverter 2 ways without closure.
- Water saving system S2 through the handle opening in two phases.
- Flow rate at 3 bar: 20 l/min through bath outlet, 12 l/min through hand shower outlet and 16 l/min through showerhead outlet.
- Thermal shock resistant and anti-Legionella chemical.
- Use pressure between 1-5 bar. Recommended pressure 3 bar.
- Minimum installation required with gas or electrical water heaters from 10 liters with 18 Kw of power.
- Resists static pressure equal to or less than 10 bar and water hammer up to 25 bar.
- 3 bar acoustic level less than 20 dB.
- Comfort benefits of fidelity, sensibility and constancy in temperature selection.
- Recommended temperature for hot water: 55°C. Maximum temperature of use: 65°C up to 1 hour at 90°C.
- Chromed surface: 15 microns thick of nickel and 0.3 microns thick of chrome.

Acabados disponibles Finishing availables



Cromo
Chrome



Negro mate
Black matte




Oro cepillado
Brushed gold







Oro cepillado disponible
en Julio
Brushed gold available
in July

**945412RP300**

94D306802

941202S+DN132D+RP300+2876BT+2478C

N

**945412RP300NM**

94D306803

941202SNM+DN132DNM+RP300NM+2876BTNM+2475CNM

N

**945412RP300OC**

94D307342

941202SOC+DN132DOC+RP300OC+4914Q3OC+2475COC

N



Columna de ducha telescópica termostática rociador Ø 300 mm.
Thermostatic telescopic shower column with headshower Ø 300 mm.

Cartucho Cartridge: 1703T + 4000

**BX945412RP300**

94G306801

BX945412RP300NM

94G306804


BX945412RP300OC

94G307822

BOX PALET, 5 unidades -3% Descuento especial incorporado.
BOX PALET, 5 units - 3% Special discount in the price.



Disponible en Julio
Available in July

**945412RPK300**

94D307344

941202S+DN132D+RPK300+4914Q3+2478C

N

**945412RPK300NM**

94D307345

941202SNM+DN132DNM+RPK300NM+4914Q3NM+2475CNM

N

**945412RPK300OC**

94D307346

941202SOC+DN132DOC+RPK300OC+4914Q3OC+2475COC

N



Columna de ducha telescópica termostática rociador
cuadrado 300 mm.
Thermostatic telescopic shower column with squared
headshower 300 mm.

Cartucho Cartridge: 1703T + 4000

**BX945412RPK300**

94G307823

BX945412RPK300NM


94G307824

BX945412RPK300OC

94G307826

BOX PALET, 5 unidades -3% Descuento especial incorporado.
BOX PALET, 5 units - 3% Special discount in the price.





Oro cepillado disponible en Julio
Brushed gold available in July

937413RP300

94D306809

932803S+DN132D+RP300+2876BT+1128C

N



937412RP300NM

94D306811

932803SNM+DN132DNM+RP300NM+2876BTNM+2475CNM

N

937412RP300OC

94D307349

932803SOC+DN132DOC+RP300OC+4914Q3OC+2475COC

N

Columna de ducha telescópica monomando rociador Ø 300 mm.
Single lever telescopic shower column with headshower Ø 300 mm.

Cartucho Cartridge:35100 (6689-2)+ 4004

BX937413RP300

94G306810


BX937412RP300NM

94G306812

BX937412RP300OC

94G307827

BOX PALET, 5 unidades -3% Descuento especial incorporado.
BOX PALET, 5 units - 3% Special discount in the price.



Disponible en Julio
Available in July

937413RPK300

94D307351

932803S+DN132D+RPK300+4914Q3+1128C

N



937412RPK300NM

94D307352

932803SNM+DN132DNM+RPK300NM+4914Q3NM+2475CNM

N

937412RPK300OC

94D307353

932803SOC+DN132DOC+RPK300OC+4914Q3OC+2475COC

N

Columna de ducha telescópica monomando rociador cuadrado 300 mm.
Single lever telescopic shower column with squared headshower 300 mm.

Cartucho Cartridge:35100 (6689-2)+ 4004

BX937413RPK300

94G307828


BX937412RPK300NM

94G307829

BX937412RPK300OC

94G307830

BOX PALET, 5 unidades -3% Descuento especial incorporado.
BOX PALET, 5 units - 3% Special discount in the price.



941202S

94D302999



941202SNM

94D303395




941202SOC

94D308061



Monomando baño- ducha con inversor integrado sin equipo de ducha.

Bath-shower with integrated diverter.



932803S

94D306820



932802S

94D303651



932802SNM

94D303652




932802SOC

94D303902



Monomando baño- ducha con inversor integrado sin equipo de ducha.

Bath-shower with integrated diverter.



9346S

94C301682




9346SNM

94C304983



Monomando baño- ducha con inversor integrado sin equipo de ducha.

Bath-shower with integrated diverter.



9446S

94C301683




9446SNM

94C304984



Termostático baño- ducha con inversor integrado sin equipo de ducha.

Thermostatic bath-shower


943404S

94D305528

943404SNM

94D307782

Termostático de ducha sin equipo de ducha.
Thermostatic shower mixer without shower kit.

Cartucho Cartridge:1701T + 1700C1/2"

EXPOTER1

MKX302625

Dispensador blautherm.
Exhibitor container.

CX943404SX6

94G305529

6 und. termostática blautherm.
6 und. thermostatic blautherm.


BT

943404BT

94D305533

943404BTNM

94D307783

Termostático de ducha con equipo de ducha.
Thermostatic shower mixer with shower kit.

943404S+2876BT+3726+1128C

EXPOTER3

MKX303400

Dispensador blautherm.
Exhibitor container.

CX943404BTX6

94G305530

6 und. termostática blautherm.
6 und. thermostatic blautherm.


T1
943404T1

94D305531

Termostático de ducha con equipo de ducha.
Thermostatic shower mixer with shower kit.



Montura Head: 1701C1/2 + 1702C1/2

943404S+3520T1+3726+2471C



T3


943404T3

94D305532

Termostático de ducha con equipo de ducha.
Thermostatic shower mixer with shower kit.



943404S+5840T3+3726+2471C

**943901S**

261649

Termostático de baño - ducha con cascada e inversor
integrado, sin equipo de ducha.
Bathtub thermostatic with cascade stream, without shower
kit.



Cartucho Cartridge:1701 T + 4001



T1

943901T1

261652

Termostático de baño - ducha con cascada e inversor
integrado, con equipo de ducha.
Bathtub thermostatic with cascade stream, with a shower set.



943901S+3520T1+3726+2471C



T3


943901T3

94C301946

Termostático de baño - ducha con cascada e inversor
integrado, con equipo de ducha.
Bathtub thermostatic with cascade stream, with a shower
set.



943901S+5840T3+3726+2471C


943801S

94C302075

943801SNM

94C307784

Termostático de baño- ducha, sin equipo de ducha.
Bathtub thermostatic without shower kit.

Cartucho Cartridge: 1701 T + 4000

N


Blautherm


T1
943801T1

94C302571

Termostático de baño- ducha con inversor integrado, con
equipo de ducha.
Bathtub thermostatic with a shower set.

943801S+3520T1+3726+2471C


T3
943801T3

94C302572

Termostático de baño- ducha con inversor integrado, con
equipo de ducha.
Bathtub thermostatic with a shower set.

943801S+5840T3+3726+2471C




BT
943801SBTNM

94C307785

Termostático de baño - ducha con cascada e inversor
integrado, con equipo de ducha.
Bathtub thermostatic with cascade stream, with a shower
set.

943801SNM+2876BTNM+372602NM+2475CNM

N

941502RP240

94C301586

941502S+BHRP240+2876BT+3796+2471C

941502RP240NM

94D303675

941502SNM+BHRP240NM+2876BTNM+3796NM+2475CNM

Conjunto monomando empotrado 2 vías con soporte más toma de agua, teleducha y rociador mural ABS Ø 240 mm.

Concealed wall single lever 2 way with wall elbow shower support hand shower and wall arm ABS shower head Ø 240 mm.



941502RM250

94D302556

941502S+BHRM250+2876BT+3796+2471C

Conjunto monomando empotrado 2 vías con soporte más toma de agua, teleducha y rociador mural INOX Ø 250 mm.

Single lever mixer 2 way concealed with support plus water intake, han shower and STEEL shower head Ø 250 mm.

941801S

94D301584

XX1801+940001N-35+KX1

Empotrado monomando 1 vía.

Single lever 1 way concealed.

941502S

94C301585

XX1502+940001N-35+945100+KX2

941502SNM

94C303682

XX1502NM+940001N-35NM+945100NM+KX2NM

Empotrado monomando 2 vías.

Single lever 2 way concealed.

941502	1bar	3bar	5bar
A l/min	14	24	30
B l/min	13	22	29

Kit de ampliación - Extension set: KA2V

Cartucho Cartridge: 35100 + 4004

BX941502RP240

94G301706

BX941502RP240NM

94G303677



BX941502RM250

94G302557

BOX PALET, 6 unidades -3% Descuento especial incorporado.

BOX PALET, 6 units - 3% Special discount in the price.





RPK225

**941502RPK225**

94C301587

941502KS+RPK225+B350+4716PR+4796+2471C

Conjunto monomando empotrado 2 vías con soporte más toma de agua, teleducha y rociador mural ABS cuadrado 225x225mm.
Concealed wall single lever 2 way with wall elbow shower support hand shower and wall arm ABS shower head 225x225 mm.



RK250

**941502RK250**

94D302558

941502KS+B350+RK250+4716PR+4796+2471C

Conjunto monomando empotrado 2 vías con soporte más toma de agua, teleducha y rociador mural ABS cuadrado 250x250mm.
Concealed wall single lever 2 way with wall elbow shower support hand shower and wall arm ABS shower head 250x250 mm.

941801KS

94D301699

XX1801+940001N+35+K1

Empotrado monomando 1 vía.
Single lever 1 way concealed.

941502KS

94C301700



XX1502+945100+940001N-35+K2

Empotrado monomando 2 vías.
Single lever 2 way concealed.

941502	1bar	3bar	5bar
A l/min	14	24	30
B l/min	13	22	29

Kit de ampliación - Extension set: KA1V

Cartucho Cartridge: 35100 + 4004

**BX941502RPK225**



94G301707

BX941502RK250

94G302559

BOX PALET, 6 unidades - 3% Descuento especial incorporado.
BOX PALET, 6 units - 3% Special discount in the price.



**948712RP240**

94D302547

948712S+BHRP240+2876BT+3796+2471C

**948712RP240NM**

94D303671

948712SNM+BHRP240NM+2876BTNM+3796NM+2475CNM



Conjunto termostático empotrado 2 vías con soporte más toma de agua, teleducha y rociador mural ABS Ø 240 mm.

Thermostatic single lever 2 way concealed with support plus water intake, handshower and ABS shower head Ø 240 mm.

**948712RM250**

94D302551

948712S+BHRM250+2876BT+3796+2471C



Conjunto termostático empotrado 2 vías con soporte más toma de agua, teleducha ABS y rociador mural metálico Ø 250 mm.

Thermostatic single lever 2 way concealed with support plus water intake, abs handshower and metallic shower head Ø 250 mm.

942411S

94D302545

XX2411+KTX1+945000+945100



Termostático de ducha empotrado 1 vía con placa metálica.

Thermostatic concealed mixer 1 way with ultraslim metallic plate,

948712S

94D302546

XX8712+KTX2+945000+945100

**948712SNM**

94D303683

XX8712NM+KTX2NM+945000NM+945100NM



Empotrado monomando 2 vías.

Single lever 2 way concealed.

XX8712S	1bar	3bar	5bar
A l/min	14	24	30
B l/min	13	22	28
Kit de ampliación - Extension set: KAIV			

Cartucho Cartridge: 1703T + 4000

BX948712RP240

94G302548

**BX948712RP240NM**

94G303672

**BX948712RM250**



94G302552



BOX PALET, 5 unidades -3% Descuento especial incorporado.

BOX PALET, 5 units - 3% Special discount in the price.





RPK225



948712RPK225

94D302549

948712KS+RPK225+B350+4716PR+4796+2471C

Conjunto termostático empotrado 2 vías con soporte más toma de agua, teleducha y rociador mural ABS cuadrado 225x225.

Thermostatic single lever 2 way concealed with support plus water intake, hand shower and square ABS shower head.



RK250



948712RK250

94D302553

948712KS+RK250+B350+4716PR+4796+2471C

Rociador de metal 250x250 mm.

Headshower accesories 250x250 mm.

948712KS

94D302915

XX8712+KT2+945000+945100

Empotrado monomando 2 vías.

Single lever 2 way concealed.

XX8712S	1bar	3bar	5bar
A l/min	14	24	30
B l/min	13	22	28
Kit de ampliación - Extension set: KA1V			

Cartucho Cartridge: 1703T + 4000

BX948712RPK225

94G302550

BOX PALET, 6 unidades -3% Descuento especial incorporado.

BOX PALET, 6 units - 3% Special discount in the price.

BX948712RK250

94G302555

BOX PALET, 6 unidades -3% Descuento especial incorporado.

BOX PALET, 6 units - 3% Special discount in the price.

