

CLAK is an ultra thin panel with a refined minimalist look, just 2,3 cm thick: the

version with tubes at the rear is just 3,7 cm thick. This solution projects no more than

5,2 cm from the wall thanks to BREM $\varnothing$ 3/8" valve.


DIMENSIONS - VERTICAL PANEL

Lengths: from 27 to 90 cm (every 9 cm)

Heights: from 140 to 240 cm (every 20 cm)

Depth: 2,3 cm and 4,3 cm

Depth from wall: from 5,8 cm



CKH MODEL
vertical panel




CKH



CKLH MODEL
vertical panel
with tubes at the rear



CKLH



CKH ... CKLH ...



CKH



CKLH

EN 442 Watt Δt 50K (Δt 40K = $W \times 0,755$) - (Δt 30K = $W \times 0,526$)

Mod. CLAK'21 H cm	L cm ▲ ▽ cm	27 23	36 32	45 41	54 50	63 59	72 68	81 77	90 86
CKH 140	€	673,70 422w	740,10 556w	814,50 692w	887,90 828w	957,20 962w	1026,80 1098w	1099,60 1234w	1170,50 1370w
CKLH 140	€	848,60 497w	938,30 707w	1037,30 918w	1118,40 1129w	1211,70 1338w	1301,60 1550w	1394,30 1761w	1482,80 1972w
CKH 160	€	719,00 482w	792,00 635w	868,60 790w	946,60 945w	1021,90 1098w	1096,00 1253w	1173,60 1408w	1249,00 1563w
CKLH 160	€	896,30 568w	989,50 808w	1082,90 1050w	1177,00 1291w	1272,40 1531w	1365,80 1773w	1460,90 2014w	1554,10 2256w
CKH 180	€	764,20 541w	843,80 713w	922,90 887w	1005,20 1061w	1086,50 1233w	1165,20 1407w	1247,90 1581w	1327,60 1755w
CKLH 180	€	943,90 639w	1040,70 909w	1128,30 1181w	1235,70 1453w	1333,10 1723w	1430,00 1996w	1527,70 2268w	1625,20 2540w
CKH 200	€	805,60 601w	889,50 792w	975,10 985w	1055,20 1178w	1139,80 1369w	1223,40 1562w	1306,90 1755w	1392,60 1948w
CKLH 200	€	1013,20 710w	1119,00 1011w	1223,30 1313w	1336,40 1616w	1433,50 1916w	1538,00 2219w	1642,80 2521w	1746,00 2824w
CKH 220	€	854,30 660w	942,70 870w	1031,90 1082w	1132,50 1294w	1213,00 1504w	1302,20 1716w	1389,40 1928w	1480,90 2141w
CKLH 220	€	1053,50 781w	1163,80 1112w	1272,20 1445w	1389,90 1778w	1491,20 2109w	1599,50 2441w	1708,40 2774w	1815,70 3107w
CKH 240	€	916,00 720w	1012,40 949w	1108,50 1180w	1204,70 1411w	1300,80 1640w	1397,20 1871w	1493,20 2102w	1592,00 2333w
CKLH 240	€	1094,00 852w	1208,50 1213w	1321,20 1577w	1443,60 1940w	1548,70 2301w	1661,00 2664w	1774,00 3028w	1885,40 3391w

Δt different from 50 K: consult technical data Brem

HOW TO ORDER

State: model (simple model or with tubes), height, width, fitting and color
e.g.: CKH 180 - 35, EG $\varnothing$ 3/8", SB7035

STANDARD PRODUCTION

White "sablé" paintwork - white EOS brackets
Tolerance $\pm$ 3mm - Air vent $\varnothing$ 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST

Paintwork to BREM color list +15/25%
Stainless steel finish, by estimate
Electric version e.Clak, pag. 234



Fitting $\varnothing$ 3/8"
STANDARD
(without sleeves)







Fitting $\varnothing$ 1/2"
ON REQUEST
(with sleeves)

STANDARD FITTING

EG $\varnothing$ 3/8"
 $\varnothing$ 1/2" with sleeve on request
Special fittings, page 286



TAPPING CENTER EG 3/8" vertical fittings
Side fittings on request Art. AS 75,50€




RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:


- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€





SIDE CONTROL QUADRA VALVES KIT
page 279 Art. KQL 166,30€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€
SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVG 199,80€



CLAK CKH 160-45

CLAK is an ultra thin panel with a refined minimalist look, only 2,3 cm thick: the version

with tubes at the rear is just 4,3 cm thick. This solution projects no more than 5,8 cm

from the wall thanks to BREM $\varnothing 3/8"$ valves and can be laid vertically or horizontally.


DIMENSIONS - HORIZONTAL PANEL

Length: from 50 to 220 cm


Heights: from 36 to 90 cm (every 9 cm)

Depth: 2,3 cm and 4,3 cm

Depth from wall: from 5,8 cm



CKV



CKLV



CKV ... CKLV ...

CKV CKLV

		EN 442 Watt Δt 50K (Δt 40K = $W \times 0,755$) - (Δt 30K = $W \times 0,526$)													
Mod. CLAK'21	L	50	60	70	80	90	100	110	120	140	160	180	200	220	
	▲▼	7	57	67	77	87	97	107	117	137	157	177	197	217	
CKV 36	€	664,90	690,60	713,70	736,80	759,20	785,50	809,50	832,70	877,20	920,10	947,60	975,60	1005,00	
H 36		203w	242w	281w	320w	360w	399w	438w	477w	556w	635w	713w	792w	870w	
CKLV 36	€	826,30	858,00	891,10	926,50	958,50	994,20	1027,70	1059,70	1123,50	1186,90	1224,30	1262,00	1300,30	
		250w	301w	352w	402w	453w	504w	554w	605w	707w	808w	909w	1011w	1112w	
CKV 45	€	705,70	734,30	756,40	782,10	809,20	836,10	859,40	888,30	939,20	998,60	1026,70	1055,00	1086,40	
H 45		253w	302w	351w	399w	448w	497w	546w	595w	692w	790w	887w	985w	1082w	
CKLV 45	€	876,60	918,10	954,50	990,60	1030,70	1066,00	1104,80	1144,30	1216,30	1298,50	1339,30	1379,80	1422,10	
		325w	391w	457w	523w	588w	654w	720w	786w	918w	1050w	1181w	1313w	1445w	
CKV 54	€	742,60	771,80	801,10	830,80	859,90	889,40	919,10	949,30	1008,30	1077,20	1110,40	1143,60	1176,40	
H 54		304w	362w	420w	478w	537w	595w	653w	712w	828w	945w	1061w	1178w	1294w	
CKLV 54	€	931,00	977,00	1018,20	1060,00	1105,30	1145,60	1189,80	1233,80	1316,70	1409,00	1454,60	1499,70	1546,10	
		399w	480w	562w	643w	724w	805w	886w	967w	1129w	1291w	1453w	1616w	1778w	
CKV 63	€	787,20	820,60	852,00	884,90	919,60	953,00	986,40	1019,90	1084,60	1156,70	1192,70	1228,50	1263,50	
H 63		352w	420w	488w	555w	623w	691w	759w	827w	962w	1098w	1233w	1369w	1504w	
CKLV 63	€	985,00	1035,90	1082,00	1129,40	1179,90	1225,20	1274,90	1323,30	1417,20	1519,50	1569,80	1619,70	1670,10	
		472w	568w	664w	761w	857w	953w	1050w	1146w	1338w	1531w	1723w	1916w	2109w	
CKV 72	€	829,40	868,80	907,20	944,60	983,40	1020,20	1058,80	1096,90	1167,60	1243,90	1282,40	1320,80	1357,80	
H 72		403w	480w	557w	635w	712w	789w	866w	944w	1098w	1253w	1407w	1562w	1716w	
CKLV 72	€	1029,50	1084,20	1134,40	1187,50	1239,20	1293,80	1347,20	1399,30	1500,00	1605,10	1658,30	1711,20	1763,70	
		546w	658w	769w	881w	992w	1104w	1215w	1327w	1550w	1773w	1996w	2219w	2441w	
CKV 81	€	904,40	944,70	987,60	1026,90	1070,70	1109,10	1151,80	1194,60	1270,20	1355,40	1396,90	1438,40	1479,70	
H 81		453w	540w	627w	714w	800w	887w	974w	1061w	1234w	1408w	1581w	1755w	1928w	
CKLV 81	€	1101,00	1156,50	1212,20	1267,70	1324,40	1380,10	1436,70	1492,50	1598,50	1714,50	1770,50	1826,80	1881,90	
		621w	747w	874w	1001w	1128w	1254w	1381w	1508w	1761w	2014w	2268w	2521w	2774w	
CKV 90	€	965,90	1009,90	1051,50	1095,10	1138,80	1180,40	1225,20	1266,60	1347,80	1439,20	1482,80	1526,70	1570,50	
H 90		504w	600w	696w	793w	889w	985w	1081w	1178w	1370w	1563w	1755w	1948w	2141w	
CKLV 90	€	1162,70	1222,60	1280,50	1338,20	1395,90	1454,90	1512,20	1570,10	1681,30	1800,70	1858,50	1916,70	1975,30	
		695w	837w	979w	1121w	1263w	1405w	1547w	1688w	1972w	2256w	2540w	2824w	3107w	

Δt different from 50 K: consult technical data Brem

HOW TO ORDER

State: model (simple model or with tubes), height, width, fitting and color
e.g.: CKLV 72-180, EG $\varnothing 3/8"$, SB 7035

STANDARD PRODUCTION


White "sablé" paintwork - white EOS brackets
Tolerance ± 3 mm - Air vent $\varnothing 1/8"$
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST

Paintwork to BREM color list +15/25%
Stainless steel finish, on request
Electric version e.Clak, pag. 234

STANDARD FITTING

EG $\varnothing 3/8"$
 $\varnothing 1/2"$ with sleeve on request
Special fittings, page 286




Fitting $\varnothing 3/8"$
STANDARD
(without sleeves)



Fitting $\varnothing 1/2"$
ON REQUEST
(with sleeves)



TAPPING CENTRES EG 3/8" vertical fittings
Side fittings on request Art. AS 75,50€




CKV MODEL



CKLV MODEL

FIXINGS
Brackets included




EOS
bracket

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:


- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€




SIDE CONTROL QUADRA VALVES KIT
page 279 Art. KQL 166,30€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€
SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 5cm



2,5 ±



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVG 199,80€



CLAK CKV 45-160