
The ELLIPSIS_B towel warmer is ideal for refined environments. With its versatility, it transforms the space becoming the absolute protagonist of every style of furniture. ELLIPSIS_B is available in 4 heights and 4 widths. With the insertion of the electric resistance (optional) it can work even in periods when the system is off.



Ellipsis B, Hight 1620 mm, Lenght 600 mm, Sunstone

Construction features

steel tower warmer radiator with horizontal elements featuring
elliptical tubes 50x25 mm
side manifolds with 30 mm round section
manifold threading 1/2" Gas right
maximum working pressure 4 bar
maximum working temperature 95°C

Standard equipment

4 adjustable wall fixing brackets in the same color of the
radiator
1/2" air vent

Certifications



Plus



Technical data

Model	Deph (mm)	Height (mm)	Width (mm)	Conn. C- (mm)	Weighth (kg)	Capacity (lt)	$\Delta t=50^{\circ}\text{C}$ (btu/h)	$\Delta t=50^{\circ}\text{C}$ (kcal/h)	$\Delta t=50^{\circ}\text{C}$ (Watt)	$\Delta t=40^{\circ}\text{C}$ (Watt)	$\Delta t=30^{\circ}\text{C}$ (Watt)	$\Delta t=20^{\circ}\text{C}$ (Watt)	Exponent	mixed oper. (Watt)
840 12 rails 1 espaces	53,0	840	400	350	7,20	4,60	1.106,0	279,0	324,0	246,0	172,0	104,0	1,237	300
840 12 rails 1 espaces	53,0	840	500	450	8,60	5,60	1.343,0	339,0	394,0	300,0	211,0	128,0	1,223	400
840 12 rails 1 espaces	53,0	840	600	550	10,00	6,50	1.580,0	398,0	463,0	354,0	250,0	153,0	1,210	400
840 12 rails 1 espaces	53,0	840	750	700	12,00	8,00	1.935,0	488,0	567,0	435,0	309,0	191,0	1,189	700
1200 16 rails 2 espaces	53,0	1200	400	350	10,10	6,30	1.561,0	393,0	457,0	344,0	238,0	142,0	1,277	400
1200 16 rails 2 espaces	53,0	1200	500	450	11,80	7,60	1.875,0	473,0	550,0	415,0	289,0	173,0	1,260	400
1200 16 rails 2 espaces	53,0	1200	600	550	13,60	8,80	2.190,0	552,0	642,0	486,0	340,0	205,0	1,243	700
1200 16 rails 2 espaces	53,0	1200	750	700	16,20	10,70	2.661,0	671,0	780,0	594,0	419,0	255,0	1,218	700
1620 21 rails 3 espaces	53,0	1620	400	350	15,10	9,80	2.067,0	521,0	606,0	460,0	322,0	195,0	1,237	400
1620 21 rails 3 espaces	53,0	1620	500	450	17,90	11,80	2.488,0	627,0	729,0	553,0	388,0	235,0	1,236	700
1620 21 rails 3 espaces	53,0	1620	600	550	20,70	13,80	2.908,0	733,0	852,0	647,0	453,0	275,0	1,236	700
1620 21 rails 3 espaces	53,0	1620	750	700	25,00	16,70	3.540,0	892,0	1.037,0	787,0	552,0	334,0	1,236	1000
1860 25 rails 3 espaces	53,0	1860	400	350	13,10	8,30	2.407,0	607,0	705,0	531,0	368,0	220,0	1,272	700

1860 25 rails 3 espaces	53,0	1860	500	450	15,40	9,90	2.885,0	727,0	846,0	639,0	445,0	267,0	1,256	700
1860 25 rails 3 espaces	53,0	1860	600	550	17,70	11,60	3.364,0	848,0	986,0	747,0	523,0	316,0	1,241	1000
1860 25 rails 3 espaces	53,0	1860	750	700	21,10	14,00	4.081,0	1.029,0	1.196,0	912,0	642,0	392,0	1,217	1000

Thanks to the high performance of Irsap ELLIPSIS_B radiators, the ideal Δt for low temperature projects is Δt at 30°C.


For Δt different from 50°C use the formula: Q=Qn (Δt / 50)n

Standard equipment

- 4 adjustable wall fixing brackets in the same color of the radiator
- 1/2" air vent


Colors and Finishes

STANDARD



Standard White
Cod. 01

CLASSIC




Edelweiss White
Cod. 34



Ivory - RAL 1013
Cod. 02



Beige Cream
Cod. 26



Yellow - RAL 1021
Cod. 04




Melon Yellow - RAL 1028
Cod. E7



Orange - RAL 2004
Cod. 17



Brown Rust - RAL 8004
Cod. E1



Brown - RAL 8017
Cod. 09



Claret - RAL 3003
Cod. 06



Red - RAL 3000
Cod. 05



Strawberry Red - RAL 3018
Cod. Y3



Pink - RAL 3015
Cod. R2



Bluish Lilac - RAL 4005
Cod. R3



Purple Traffic - RAL 4006
Cod. R6




Woodland Green - RAL 6005
Cod. 19



Green Grass - RAL 6018
Cod. N3




Sage Green - RAL 6021
Cod. E6




Pastel Blue - RAL 5024
Cod. G7



Manhattan Grey
Cod. 03




Black - RAL 9005
Cod. 10



Deep Blue
Cod. 2F

SPECIAL



Pearl White
Cod. 16



Quartz 1
Cod. 1C



Sablé
Cod. Y4



Quartz 2
Cod. 2C



Sunstone
Cod. 2D












Tobacco Brown
Cod. 1B



Flame Red
Cod. 7D



Purple Blue
Cod. 1D

							
Azurite 3 Cod. 6C	Medium Grey Cod. 4D	Titanium Grey Metallic - RAL 9023 Cod. L3	Pearl Grey Cod. L6	Graphite Black Cod. 18	Quartz Grey Cod. 31	Satin Black Cod. 30	Matt White Cod. J8
							
Matt Black Cod. K1	Agave Cod. 9N	North Sea Blue Cod. 1P	Ice Cod. 3P	Matt Blue Dove - RAL 5014 Cod. 4P	Matt Light Grey Cod. 8N	Ash Grey - Ral 7021 Cod. G1	Hammered Grey Metallic Cod. 32
							
Hammered Copper Cod. J4							

RAL



Other RAL Colours (following feasibility study)
Cod. ALTRIRAL

The Colors used in this folder are not considered binding. The different technological painting processes and the materials used for the realization can not have a perfect color match with the delivered product. Irsap company reserves the right to introduce at any time whatever modifications necessary to the improvement of the product.