

With its versatility, ELLIPSIS_V 2 Vertical transforms the space becoming the absolute protagonist of any style of furniture. ELLIPSIS_V 2 Vertical is available in 9 heights, from 4 to 30 elements and thermal powers from 230 to 3205 Watt.



Ellipsis 2, Vertical, 10 elements, Hight 1820 mm, Lenght 600 mm, Matt White

Construction features

manifolds with a 30 mm diameter circular section
tubes made of sheet steel with a 50x25 mm elliptical section
manifold threading 1/2" Gas right
maximum working pressure 4 bar
maximum working temperature 95°C

Standard equipment

wall fixing systems with screws and anchors
1/2" blind plug
piper cover kit
1/2" air vent

Certifications



Plus



Technical data

Model	Deph (mm)	Height (mm)	Conn. C. (mm)	Weigth (kg)	Capacity (lt)	Δt=50°C (btu/h)	Δt=50°C (kcal/h)	Δt=50°C (Watt)	Δt=40°C (Watt)	Δt=30°C (Watt)	Δt=20°C (Watt)	Exponent
520	76,0	520	470	1,34	0,94	196,1	49,4	57,5	43,2	29,9	17,8	1,280
650	76,0	650	600	1,60	1,16	245,1	61,8	71,8	53,8	37,1	21,9	1,295
700	76,0	700	650	1,70	1,25	264,0	66,5	77,4	58,0	39,9	23,6	1,295
920	76,0	920	870	2,15	1,62	342,5	86,3	100,4	74,9	51,3	30,1	1,314
1020	76,0	1020	970	2,35	1,79	376,2	94,8	110,2	82,2	56,3	33,1	1,314
1220	76,0	1220	1170	2,75	2,12	443,9	111,9	130,1	97,1	66,6	39,2	1,310
1520	76,0	1520	1470	3,35	2,63	546,8	137,8	160,3	119,7	82,2	48,4	1,306
1820	76,0	1820	1770	3,95	3,14	648,6	163,5	190,1	142,2	97,7	57,6	1,302
2020	76,0	2020	1970	4,35	3,48	714,4	180,1	209,4	156,7	107,8	63,6	1,300

(*)Thanks to the high performance of Irsap ELLIPSIS_V 2 Vertical radiators, the ideal Δt for low temperature projects is Δt at 30°C.
For Δt different from 50°C use the formula: $Q=Q_n (\Delta t / 50)^n$

Standard equipment


- wall fixing systems with screws and anchors • 1/2” blind plug • piper cover kit • 1/2” air vent

Data Set

Length (mm) sub>	NÂ° Elements		520	650	700	920	1020	1220	1520	1820	2020
240	4	Watt = W = 230	287	309	402	441	520	641	760	837	
360	6	Watt = W = 345	431	464	602	662	781	962	1141	1256	
480	8	Watt = W = 460	575	619	803	882	1041	1282	1521	1675	
600	10	Watt = W = 575	718	774	1004	1102	1301	1603	1901	2094	
720	12	Watt = W = 690	862	928	1205	1323	1561	1923	2281	2512	
840	14	Watt = W = 805	1006	1083	1405	1544	1821	2244	2661	2931	
960	16	Watt = W = 920	1150	1238	1606	1764	2082	2564	3041		
1080	18	Watt = W = 1035	1293	1393	1807	1984	2342	2885			
1200	20	Watt = W = 1150	1437	1547	2008	2205	2602	3205			
1320	22	Watt = W = 1265	1581	1702	2208	2426	2862				
1440	24	Watt = W = 1380	1724	1857	2409	2646	3122				
1560	26	Watt = W = 1494	1868	2012	2610	2866					
1680	28	Watt = W = 1609	2012	2166	2811	3087					
1800	30	Watt = W = 1724	2156	2321	3011						


Colors and Finishes

STANDARD



Standard White
Cod. 01

CLASSIC



Edelweiss White
Cod. 34



Ivory - RAL 1013
Cod. 02



Beige Cream
Cod. 26




Yellow - RAL 1021
Cod. 04



Melon Yellow - RAL 1028
Cod. E7



Orange - RAL 2004
Cod. 17



Brown Rust - RAL 8004
Cod. E1



Brown - RAL 8017
Cod. 09




Claret - RAL 3003
Cod. 06



Red - RAL 3000
Cod. 05



Strawberry Red - RAL 3018
Cod. Y3



Pink - RAL 3015
Cod. R2



Bluish Lilac - RAL 4005
Cod. R3



Purple Traffic - RAL 4006
Cod. R6



Woodland Green - RAL 6005
Cod. 19



Green Grass - RAL 6018
Cod. N3




Sage Green - RAL 6021
Cod. E6




Pastel Blue - RAL 5024
Cod. G7



Manhattan Grey
Cod. 03




Black - RAL 9005
Cod. 10



Deep Blue
Cod. 2F

SPECIAL




Pearl White
Cod. 16




Quartz 1
Cod. 1C



Sablé
Cod. Y4



Quartz 2
Cod. 2C



Sunstone
Cod. 2D











Tobacco Brown
Cod. 1B



Flame Red
Cod. 7D



Purple Blue
Cod. 1D

							
Azurite 3 Cod. 6C	Medium Grey Cod. 4D	Titanium Grey Metallic - RAL 9023 Cod. L3	Pearl Grey Cod. L6	Graphite Black Cod. 18	Quartz Grey Cod. 31	Satin Black Cod. 30	Matt White Cod. J8
							
Matt Black Cod. K1	Agave Cod. 9N	North Sea Blue Cod. 1P	Ice Cod. 3P	Matt Blue Dove - RAL 5014 Cod. 4P	Matt Light Grey Cod. 8N	Ash Grey - Ral 7021 Cod. G1	Hammered Grey Metallic Cod. 32
							
Hammered Copper Cod. J4							

RAL



Other RAL Colours (following feasibility study)
Cod. ALTRIRAL

The Colors used in this folder are not considered binding. The different technological painting processes and the materials used for the realization can not have a perfect color match with the delivered product. Irsap company reserves the right to introduce at any time whatever modifications necessary to the improvement of the product.