

New Fly

Colección Collection



Características Técnicas

- Cartuchos cerámicos monomando.
- Ø35mm en Ducha, Baño-ducha, Fregadero mural, Fregadero vertical, Ducha empotrado y Baño-ducha empotrado.
- Ø40mm en Lavabos, Bidé, Fregaderos extraíble.
- Cartuchos cerámicos monomando con Sistema Termostop Block de limitación de la temperatura máxima del agua caliente y con Sistema de ahorro de agua (S2-C2) mediante la apertura de la manecilla en dos fases. Disponible en algunos modelos el Sistema de apertura central en frío (S3-C3).
- Caudal a 3 bar: Lavabo, Bidet y Fregadero (de 9 a 12 l/min). Ducha (de 12 a 16 l/min). Baño (≥ 20 l/min).
- Prestaciones de confort a nivel de fidelidad, sensibilidad y constancia en la selección de la temperatura.
- Nivel acústico a 3 bar < 20 dB.
- Cromado latón: 15 micras de espesor de níquel, 0,3 micras de cromo.
- Presión de uso entre 1-5 bar, recomendada 3 bar. Resiste presiones estáticas ≤ 10 bar y golpes de ariete de 25 bar.
- Temperatura recomendada de agua caliente 55°C. Temperatura máxima de uso 65°C. Máximo 1h a 90°C.
- Resistente al choque térmico y químico anti-legionela.
- Certificado sanitario ACS.
- Ánodo de sacrificio anticorrosión de zinc-magnesio.

Technical Characteristics

- Ceramic mixer tap cartridge.
- Ø35mm for showers, bath-showers, vertical sinks, embedded showers and embedded bath-showers.
- Ø40mm for washbasins, bidets, removable sinks.
- Ceramic mixer tap cartridge with Termostop Block System limiting the maximum temperature of hot water and a water saving system (S2-C2) by a two-phase opening lever. The cold central opening system (S3-C3) is available in some models.
- Flow rate at 3 bar: Washbasin, bidet and sink (from 9 to 12 l/min.); Shower (from 12 to 16 l/min.); and Bath (≥ 20 l/min.).
- Comfortable performance as regards to reliability, sensitivity and reliability in the temperature selection.
- Acoustic level at 3 bar: < 20 dB
- Chrome-plated brass: 15 microns thickness of nickel, 0.3 microns of chrome.
- Working pressure between 1-5 bar, recommended pressure: 3 bar. It resists static pressures ≤ 10 bar and pressure oscillations of 25 bar.
- Recommended temperature for the hot water: 55°C. Maximum working temperature: 65°C. Maximum: 1h at 90°C.
- Resistant to thermal and anti-Legionella chemical shocks.
- ACS health compliance certificate.
- Zinc-Magnesium Anti-Corrosion Sacrificial Anode.

Acabados disponibles Finishing availables



Cromo
Chrome



Negro mate
Black matte




Montaje sin herramientas
Tool-free system



TOOL FREE

570211 hasta fin de existencias
570211 until end of stock

**570211**

57A305651

Monomando de lavabo
Washbasin mixer

570211VA9065

57A306066

Monomando de lavabo, con válvula automática 1 1/4\". Washbasin mixer with pop-up waste 1 1/4\".

Ref. 9065 ABS

570211V1169

57A306065

Monomando de lavabo, con válvula automática 1 1/4\". Washbasin mixer with stainless steel pop-up waste 1 1/4\".

Ref. 1169 INOX

Cartucho Cartridge: 40100-3



Ahorro de energía Apertura en frío

Energy saving
Cold opening



Cartucho Cartridge: 40301-3

570213

57A305994

Monomando de lavabo con apertura en frío.
Washbasin mixer, cold opening.

570213VA9065

57A306068

Monomando de lavabo, apertura en frío con válvula automática 1 1/4\". Washbasin mixer cold opening with pop-up waste 1 1/4\".

Ref. 9065 ABS

570213V1169

57A306067


Monomando de lavabo, apertura en frío con válvula automática 1 1/4\". Washbasin mixer cold opening with stainless steel pop-up waste 1 1/4\".

Ref. 1169 INOX



TOOL FREE

Disponible en Julio
Available in July

**570221**

57A307809

Monomando de lavabo.
Washbasin mixer.

570221VA9065

57A307812

Monomando de lavabo, con válvula automática 1 1/4\". Washbasin mixer with pop-up waste 1 1/4\".

Ref. 9065 ABS

570221VA1169

57A307811

Monomando de lavabo, con válvula automática 1 1/4\". Washbasin mixer with stainless steel pop-up waste 1 1/4\".

Ref. 1169 INOX

Cartucho Cartridge: 35100-3



Ahorro de energía Apertura en frío

Energy saving
Cold opening



Cartucho Cartridge: 35300-3

570223

57A307810

Monomando de lavabo con apertura en frío.
Washbasin mixer, cold opening.

570223VA9065

57A307814

Monomando de lavabo, apertura en frío con válvula automática 1 1/4\". Washbasin mixer cold opening with pop-up waste 1 1/4\".

Ref. 9065 ABS


570223VA1169

57A307813

Monomando de lavabo, apertura en frío con válvula automática 1 1/4\". Washbasin mixer cold opening with stainless steel pop-up waste 1 1/4\".

Ref. 1169 INOX





570111
57A305652

Monomando de lavabo.
Washbasin mixer.

570111VA9065
57A306062

Monomando de lavabo, con válvula automática 1 1/4\". Washbasin mixer with pop-up waste 1 1/4\".
Ref. 9065 ABS

570111NM
57A305996

Monomando de lavabo.
Washbasin mixer.

570111V1169
57A306058

Monomando de lavabo, con válvula automática 1 1/4\". Washbasin mixer with stainless steel pop-up waste 1 1/4\".
Ref. 1169 INOX

Cartucho Cartridge: 40100-3



Ahorro de energía Apertura en frío

Energy saving
Cold opening



Cartucho Cartridge: 40301-3

570113
57A305995

Monomando de lavabo con apertura en frío.
Washbasin mixer, cold opening.

570113VA9065
57A306068


Monomando de lavabo, apertura en frío con válvula automática 1 1/4\". Washbasin mixer cold opening with pop-up waste 1 1/4\".

Ref. 9065 ABS

570113V1169
57A306067

Monomando de lavabo, apertura en frío con válvula automática 1 1/4\". Washbasin mixer cold opening with stainless steel pop-up waste 1 1/4\".

Ref. 1169 INOX




571011
57A306082

Monomando de lavabo (L).
Washbasin mixer (L).

571011NM
57A306083

Monomando de lavabo (L).
Washbasin mixer (L).

Cartucho Cartridge: 35100 (6689-2)




571101
57A303579

Monomando de lavabo, con caño giratorio.
Washbasin with high swivel spout.

Cartucho Cartridge: 35200 (6689C2)





570311
57B305653

Monomando de bidé.
Bidet mixer.

570311VA9065
57B306077

Monomando de lavabo, con válvula automática 1 1/4\"/>

Ref. 9065 ABS

Cartucho Cartridge: 40100-3


570311NM
57B305997

Monomando de bidé.
Bidet mixer.

570311V1169
57B306075

Monomando de lavabo, con válvula automática 1 1/4\"/>

Ref. 1169 INOX




572201
57D303556

Monomando para peluquería con equipo de ducha.
Single lever mixer for hairdresser with shower set.

Cartucho Cartridge: 40101

572201S
57D303555

Monomando para peluquería.
Single lever mixer for hairdresser.



SA572301
57B303554

Monomando para bidé de repisa con ducha.
Deck mounted bidet.

Cartucho Cartridge: 40100 (3388)

SA572301NM
57B306752



Venta en el
Continente Americano
Available in North, Central
& South America

Recomendaciones Recommendations



1219L
197106





1219LNM
99Z302477

Sistema CLICK CLAK lavabo en Latón.
CLICK CLACK wash Laton system.


121602P
AAZ303592

Sistema CLICK CLAK lavabo en PVC-Inox.
CLICK CLACK wash PVC-Inox system.



1290
204405

Sifón Latón.
Brass Siphon.



570502S

57C303572

570502SNM

57C303580

Monomando de baño-ducha sin equipo de ducha.
Bath and shower mixer without shower kit.



T1



570502T1

57C303574

Monomando de Baño-Ducha con equipo de ducha.
Bath and shower mixer with shower set.

570502S + 3520T1+3726+1128C



T3



BTNM



570502T3

57C303573

570502S + 5812T3 / 5812T3(5840T3+3726+1128C)

570502BTNM


57C303581

570502SNM + 2876BTNM + 372602NM + 2475CNM

Monomando de Baño-Ducha con equipo de ducha.
Bath and shower mixer with shower set.



Cartucho Cartridge: 35200-2



570802S

57D303575

570802SNM

57D303699

Monomando de baño-ducha sin equipo de ducha.
Bath and shower mixer without shower kit.



T1



570802T1

57D303577

Monomando de baño-ducha con equipo de ducha.
Bath and shower mixer with shower set.

570802S + 3520T1 + 3726 + 1128C



T3



BTNM



570802T3

57D303576

570802S + 5812T3 / 5812T3 (5840T3+3726+1128C)

570802BTNM


57D303583

570802SNM + 2876BTNM + 372602NM + 2475CNM

Monomando de Baño-Ducha con equipo de ducha.
Bath and shower mixer with shower set.




Cartucho Cartridge: 35200-2





1 Vía/Way



571801S

57D303551

XX1801+5700-35+KX1

571801SNM

57D303569

XX1801NM+5700N-35NM+KX1NM

Monomando de ducha empotrado 1 vía con placa metálica.
Single lever concealed mixer 1 way with ultraslim metallic plate.

XX1801	1bar	3bar	5bar
A l/min	17	26	34


Kit de ampliación - Extension set: KA1V



Cartucho Cartridge: 35100 (6689-2)



2 Vías/Ways



571502S

57C303552

XX1502 + 5700N-35 + 945100 + KX2

571502NM

57C303570

XX1502NM+5700N-35NM+945100NM+KX2NM


Monomando de ducha empotrado 2 vías con placa metálica.
Single lever concealed mixer 2 ways with ultraslim metallic plate.

XX1502	1bar	3bar	5bar
A l/min	14	24	30
B l/min	13	22	29

Kit de ampliación - Extension set: KA2V



Cartucho Cartridge: 35100 (6689-2)+4004

**K5718012**

57D304228

571801S + BHRP240 (Ø240)

K5718012NM

57D304229


571801SNM + BHRP240NM

Conjunto monomando empotrado 1 vía con rociador ø 240 mm.

Shower set with concealed single lever 1 way mixer, headshower ø 240 mm.



Cartucho Cartridge: 35100 (6689-2)

**K5715021**

57C304225

571502S+ BHRP240 + 2876BT + 2471C + 3796

K5715021NM

57D304226


571502SNM + bhrp240NM + 2876BTNM + 2475CNM + 3796NM

Conjunto monomando empotrado 2 vías con soporte, toma de agua, teleducha y rociador mural ø 240 mm.

Shower set with concealed single lever 2 ways mixer, water outlet, handshower, headshower ø 240 mm.



Cartucho Cartridge: 35100 (6689-2) + 4004




572601
57E303550

Monomando de fregadero con caño alto giratorio 360°.
Skin mixer with swivel high spout.



Cartucho Cartridge: 35100-3




570611
57E303548

570611NM
57E306167

Monomando de fregadero con caño alto giratorio.
Skin mixer with swivel high spout.



Cartucho Cartridge: 35100 (6689-2)




570601
57E303496

Monomando de fregadero con caño alto giratorio.
Skin mixer with swivel high spout.



Cartucho Cartridge: 35100 (6689-2)


**571701C**

57E303557

Monomando de fregadero mural con caño giratorio.
Skin mixer with above swivel pout.



Cartucho Cartridge: 35100

**570701CCB14**


57E303558

Monomando de fregadero mural con caño bajo conformado corto de 14 cm.

Wall sink mixer with with swivel short spout 14 cm.



Cartucho Cartridge: 35100-3

**570701CC**


57E303559

Monomando de fregadero mural con caño bajo conformado corto de 22,5cm.

Wall sink mixer with with swivel short spout 22,5 cm.



Cartucho Cartridge: 35100-3

**570901C**

57E303549

Monomando de fregadero con caño bajo giratorio.
Sink mixer with long swivel spout.



Cartucho Cartridge: 40200-2

Repuestos:
www.ramonsoler.net/productos/catalogos
Spare parts:
www.ramonsoler.net/products/catalogs