

**RELAX ELECTRIC**height 1963 mm, lenght 616 mm. Brown Rust finish (cod. E1).







#### Technical features:

- · electric radiating panel
- heater heating system
- electrical power development from 580 to 1320 Watt
- wireless digital electronic control featuring weekly program
- class II insulation, IP44
- 1.200 mm long white power cable (lower left side cable outlet) SCHUKO plug

Finishes available	Surcharge	
Standard White		
IRSAP finished		
Other RAL colors		
Finishing codes see page 604		

#### Prices include:

- · wall bracket kit
- wireless receiver integrated on the plate with 2 leds to signal the function mode
- programmable wireless digital transmitter

# The RELAX Electric radiator can be installed both vertically and horizontally.

For the possibility of requesting custom models see page 590




Learn about the new European EcoDesign regulation



#### **Accessories towel-holder**

The towel-holder designed for the RELAX radiator is a design accessory that can be fitted on the radiator at the desired height even after the radiator has been installed. This means RELAX can also be used as a towel warmer.

Available in one version, in polished chrome plated finish, and suitable for 616 mm wide Relax models.



## Wireless Remote Control

RELAX Electric with wireless thermostat is equipped with a wireless controller that allows remote management of every electric radiator function.

Because the controller is wireless, it has the advantage of being quick and easy to install and does not require any modifications within the home.


#### **Technical specifications**


- Wireless communication via radio signals transmitted to the receiver connected to the system.
- Approx. 30-50 metre range in residential environments (868 MHz).
- Radiofrequency communication pursuant to European standards.
- Optional ITCS (Intelligent Temperature Control System)
- Open window detection function.





## **Electric**





CE

Model	Code	Depth	Height	Width	Weight	Electric Power	
		P mm	H mm	L mm	Kg	Watt	
RELAX ELECTRIC 580	REPI106Z XX IR 01 NN	35	663	1064	21,6	580	
RELAX ELECTRIC 770	REPI140Z XX IR 01 NN	35	663	1400	28,0	770	
RELAX ELECTRIC 1100	REPD061Z XX IR 01 NN	35	1963	616	34,3	1100	
RELAX ELECTRIC 1320	REPCO61Z XX IR 01 NN	35	2163	616	37,7	1320	

## **Key Codes**



# Indication of possible installations









NO

# MODELS 663









