





ELECTRIC VERSION WITH EDGE CAP


(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)




Connection to the electricity mains with Standard Edge Cap




Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)




ELECTRIC VERSION WITH ECODesign THERMOSTAT




Connection to the electricity mains




ECODesign Room Thermostat





ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)



ECODesign digital wireless chronothermostat + Receiver



Digital Chronothermostat (code ZRF007)

Product code **BA25EL#120050U2ST9010**

BA25EL#120050 Article code specified in the price table
 U2 Heating element code
 ST Standard support code*
 9010 Colour/finish code specified in the Official TUBES COLOUR CHART
 * Special supports NOT available

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table
 provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)
	White	Anthracite Grey	Chrome							
BA25EL#070040	U1	V1	Z1	T6	70,5	40,0	300 W			
BA25EL#070050	U1	V1	Z1	T6	70,5	50,0	300 W			
BA25EL#070060	U2	V2	Z2	T8	70,5	60,0	600 W			
BA25EL#120040	U2	V2	Z2	T8	119,5	40,0	600 W			
BA25EL#120050	U2	V2	Z2	T8	119,5	50,0	600 W			
BA25EL#120060	U3	V3	Z3	T9	119,5	60,0	900 W			
BA25EL#150040	U2	V2	Z2	T8	144,5	40,0	600 W			
BA25EL#150050	U3	V3	Z3	T9	144,5	50,0	900 W			
BA25EL#150060	U3	V3	Z3	T9	144,5	60,0	900 W			
BA25EL#190040	U3	V3	Z3	T9	193,5	40,0	900 W			
BA25EL#190050	U3	V3	Z3	T9	193,5	50,0	900 W			
BA25EL#190060	U4	V4	Z4	T0	193,5	60,0	1200 W			

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code					H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
	ROOM*			RADIATOR**							
	White	Chrome	Matt Black	White	Chrome						
BA25ET#070040	F5	F7	JO	N1	N5	70,5	40,0	300 W			
BA25ET#070050	F5	F7	JO	N1	N5	70,5	50,0	300 W			
BA25ET#070060	G5	G7	JQ	N2	N6	70,5	60,0	600 W			
BA25ET#120040	G5	G7	JQ	N2	N6	119,5	40,0	600 W			
BA25ET#120050	G5	G7	JQ	N2	N6	119,5	50,0	600 W			
BA25ET#120060	H5	H7	JR	N3	N7	119,5	60,0	900 W			
BA25ET#150040	G5	G7	JQ	N2	N6	144,5	40,0	600 W			
BA25ET#150050	H5	H7	JR	N3	N7	144,5	50,0	900 W			
BA25ET#150060	H5	H7	JR	N3	N7	144,5	60,0	900 W			
BA25ET#190040	H5	H7	JR	N3	N7	193,5	40,0	900 W			
BA25ET#190050	H5	H7	JR	N3	N7	193,5	50,0	900 W			
BA25ET#190060	I5	I7	JS	N4	N8	193,5	60,0	1200 W			

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of

** The RADIATOR thermostat is not ECODesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	Adjustment code WIRELESS THERMOSTAT	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category C3 (€)
	White	Anthracite Grey	Chrome								
BA25EW#070040	U1	V1	Z1	T6	ZRF007	70,5	40,0	300 W			
BA25EW#070050	U1	V1	Z1	T6	ZRF007	70,5	50,0	300 W			
BA25EW#070060	U2	V2	Z2	T8	ZRF007	70,5	60,0	600 W			
BA25EW#120040	U2	V2	Z2	T8	ZRF007	119,5	40,0	600 W			
BA25EW#120050	U2	V2	Z2	T8	ZRF007	119,5	50,0	600 W			
BA25EW#120060	U3	V3	Z3	T9	ZRF007	119,5	60,0	900 W			
BA25EW#150040	U2	V2	Z2	T8	ZRF007	144,5	40,0	600 W			
BA25EW#150050	U3	V3	Z3	T9	ZRF007	144,5	50,0	900 W			
BA25EW#150060	U3	V3	Z3	T9	ZRF007	144,5	60,0	900 W			
BA25EW#190040	U3	V3	Z3	T9	ZRF007	193,5	40,0	900 W			
BA25EW#190050	U3	V3	Z3	T9	ZRF007	193,5	50,0	900 W			
BA25EW#190060	U4	V4	Z4	T0	ZRF007	193,5	60,0	1200 W			

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

BATH 25 GALVANIC - BA25EG ELECTRIC

Electric heated towel rail made of carbon steel




EL




ELECTRIC VERSION WITH EDGE CAP


(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)




Connection to the electricity mains with Standard Edge Cap




Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)




ELECTRIC VERSION WITH ECODesign THERMOSTAT




Connection to the electricity mains





ECODesign Room Thermostat



ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS




Wireless connection with Standard Edge Cap



ECODesign digital wireless chronothermostat + Receiver

Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)



Digital Chronothermostat (code ZRF007)

Product code **BA25ELG#120050U2STCRO****ADDITIONAL COLOUR CHARGES**

BA25ELG#120050 Article code specified in the price table
 U2 Heating element code
 ST Standard support code*
 CRO Finish code
 * Special supports NOT available

Finishes and Anodizing see page. 5 or the colour table
 provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap		Code DESIGN* Edge Cap	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Chrome G0 (€)
	Anthracite Grey	Chrome					
BA25ELG#070040	V1	Z1	T6	75,8	40,0	300 W	
BA25ELG#070050	V1	Z1	T6	75,8	50,0	300 W	
BA25ELG#070060	V2	Z2	T8	75,8	60,0	600 W	
BA25ELG#120040	V2	Z2	T8	120,3	40,0	600 W	
BA25ELG#120050	V2	Z2	T8	120,3	50,0	600 W	
BA25ELG#120060	V3	Z3	T9	120,3	60,0	900 W	
BA25ELG#150040	V2	Z2	T8	148,2	40,0	600 W	
BA25ELG#150050	V3	Z3	T9	148,2	50,0	900 W	
BA25ELG#150060	V3	Z3	T9	148,2	60,0	900 W	
BA25ELG#190040	V3	Z3	T9	188,0	40,0	900 W	
BA25ELG#190050	V3	Z3	T9	188,0	50,0	900 W	
BA25ELG#190060	V4	Z4	T0	188,0	60,0	1200 W	

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code				H (cm)	L (cm)	Electrical Resistance (Watts)	Price Chrome GO (€)
	ROOM*		RADIATOR**					
	Chrome	Matt Black	White	Chrome				
BA25ETG#070040	F7	JO	N1	N5	75,8	40,0	300 W	
BA25ETG#070050	F7	JO	N1	N5	75,8	50,0	300 W	
BA25ETG#070060	G7	JQ	N2	N6	75,8	60,0	600 W	
BA25ETG#120040	G7	JQ	N2	N6	120,3	40,0	600 W	
BA25ETG#120050	G7	JQ	N2	N6	120,3	50,0	600 W	
BA25ETG#120060	G7	JR	N2	N6	120,3	60,0	900 W	
BA25ETG#150040	G7	JQ	N2	N6	148,2	40,0	600 W	
BA25ETG#150050	H7	JR	N3	N7	148,2	50,0	900 W	
BA25ETG#150060	H7	JR	N3	N7	148,2	60,0	900 W	
BA25ETG#190040	H7	JR	N3	N7	188,0	40,0	900 W	
BA25ETG#190050	I7	JR	N4	N8	188,0	50,0	900 W	
BA25ETG#190060	I7	JS	N4	N8	188,0	60,0	1200 W	

* The ROOM thermostat is available in CHROME and in the new MATT BLACK finish with a supplement of

** The RADIATOR thermostat is not ECODesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS


The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap	Code DESIGN*	Adjustment code WIRELESS THERMOSTAT	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Chrome G0 (€)
	Chrome	Edge Cap					
BA25EWG#070040	Z1	T6	ZRF007	75,8	40,0	300 W	
BA25EWG#070050	Z1	T6	ZRF007	75,8	50,0	300 W	
BA25EWG#070060	Z2	T8	ZRF007	75,8	60,0	600 W	
BA25EWG#120040	Z2	T8	ZRF007	120,3	40,0	600 W	
BA25EWG#120050	Z2	T8	ZRF007	120,3	50,0	600 W	
BA25EWG#120060	Z3	T9	ZRF007	120,3	60,0	900 W	
BA25EWG#150040	Z2	T8	ZRF007	148,2	40,0	600 W	
BA25EWG#150050	Z3	T9	ZRF007	148,2	50,0	900 W	
BA25EWG#150060	Z3	T9	ZRF007	148,2	60,0	900 W	
BA25EWG#190040	Z3	T9	ZRF007	188,0	40,0	900 W	
BA25EWG#190050	Z3	T9	ZRF007	188,0	50,0	900 W	
BA25FWG#190060	Z4	T0	ZRF007	188,0	60,0	1200 W	

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of



STANDARD HYDRAULIC VERSION
(Connectors 0B1)




CONNECTORS The heated towel rails are supplied as standard with connectors "0B1"

If different connectors are required, strictly indicate this in the order. **IMPORTANT:** the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.


Special connectors

Provided upon request **WITH** an additional charge of




Connectors on request

Available upon request **AT NO** additional charge.




Custom-made connectors

Available upon request **WITH** an additional charge of



STANDARD HYDRAULIC VERSION
(Connectors B2R)



Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310


	Code	Description	Finishes	Price (€)
	Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	
	Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	
	Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
	ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	
	ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	

Product code **BA25#1200500B1ST9010**

BA25#120050 Article code specified in the price table
 OB1 Connector code see technical datasheet
 ST Standard support code*
 9010 Colour/finish code specified in the Official TUBES COLOUR CHART
 * for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA25#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version		Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
				ΔT. 50°C	ΔT. 30°C			
BA25#070040	70,5	40,0	36,6	352	189			
BA25#070050	70,5	50,0	46,6	441	238			
BA25#070060	70,5	60,0	56,6	529	287			
BA25#120040	119,5	40,0	36,6	536	284			
BA25#120050	119,5	50,0	46,6	670	357			
BA25#120060	119,5	60,0	56,6	803	431			
BA25#150040	144,5	40,0	36,6	614	328			
BA25#150050	144,5	50,0	46,6	768	412			
BA25#150060	144,5	60,0	56,6	922	497			
BA25#190040	193,5	40,0	36,6	792	423			
BA25#190050	193,5	50,0	46,6	990	530			
BA25#190060	193,5	60,0	56,6	1188	636			

BA25#... hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version		Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
				ΔT. 50°C	ΔT. 30°C			
BA25#070040B2R	70,5	40,0	36,6	352	189			
BA25#070050B2R	70,5	50,0	46,6	441	238			
BA25#070060B2R	70,5	60,0	56,6	529	287			
BA25#120040B2R	119,5	40,0	36,6	536	284			
BA25#120050B2R	119,5	50,0	46,6	670	357			
BA25#120060B2R	119,5	60,0	56,6	803	431			
BA25#150040B2R	144,5	40,0	36,6	614	328			
BA25#150050B2R	144,5	50,0	46,6	768	412			
BA25#150060B2R	144,5	60,0	56,6	922	497			
BA25#190040B2R	193,5	40,0	36,6	792	423			
BA25#190050B2R	193,5	50,0	46,6	990	530			
BA25#190060B2R	193,5	60,0	56,6	1188	636			

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310

	Code	Description	Finishes	Price (€)
	GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	
	GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	
	GVR#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	
	GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	
Plated finishes: See table of Tubes special finishes Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart * The price does not include the cost of the thermostatic head (see page 320)				

SIZES AVAILABLE TO ORDER:

All the sizes in WIDTH every 10 cm starting from 70 cm up to 100 cm can be PROVIDED ON DEMAND and the price is calculated upon request.

IN THE PACK


The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

Hydraulic heated towel rail made of carbon steel



OB1


Interaxis
l=L-3,4 cm




(cod. ST) STANDARD
WALL support

If different connectors are required, strictly indicate this in the order. **IMPORTANT:** the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Provided upon request WITH an additional charge of




Available upon request AT NO additional charge.



Single pipe

Available upon request WITH an additional charge of



Specify "i" and "d"
i min = 5cm d min = 2cm

Standard convertible valves – Z11 ENR
For more information on the choice of valves, see p. 310




Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	

Product code **BA25D#1200500B1ST9010**

BA25D#120050 Article code specified in the price table
 0B1 Connector code see technical datasheet
 ST Standard support code*
 9010 Colour/finish code specified in the Official TUBES COLOUR CHART
 * for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA25D#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version		Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
				ΔT. 50°C	ΔT. 30°C			
BA25D#070040	70,5	40,0	36,6	552	286			
BA25D#070050	70,5	50,0	46,6	690	357			
BA25D#070060	70,5	60,0	56,6	828	429			
BA25D#120040	119,5	40,0	36,6	832	431			
BA25D#120050	119,5	50,0	46,6	1039	538			
BA25D#120060	119,5	60,0	56,6	1247	646			
BA25D#150040	144,5	40,0	36,6	962	498			
BA25D#150050	144,5	50,0	46,6	1203	623			
BA25D#150060	144,5	60,0	56,6	1443	747			
BA25D#190040	193,5	40,0	36,6	1205	624			
BA25D#190050	193,5	50,0	46,6	1507	781			
BA25D#190060	193,5	60,0	56,6	1809	937			

SIZES AVAILABLE TO ORDER:


All the sizes in WIDTH every 10 cm starting from 70 cm up to 100 cm can be PROVIDED ON DEMAND and the price is calculated upon request.

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0i5)



Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310


	Code	Description	Finishes	Price (€)
	Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	
	Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	
	Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
	ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	
	ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	

Product code **BA25I5#1200500I5ST9010**

BA25I5#120050 Article code specified in the price table
 0I5 Connector code see technical datasheet
 ST Standard support code*
 9010 Colour/finish code specified in the Official TUBES COLOUR CHART
 * for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.




BA25I5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version		Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
				ΔT. 50°C	ΔT. 30°C			
BA25I5#070040	74,5	40,0	5,0	352	189			
BA25I5#070050	74,5	50,0	5,0	441	238			
BA25I5#070060	74,5	60,0	5,0	529	287			
BA25I5#120040	123,5	40,0	5,0	536	284			
BA25I5#120050	123,5	50,0	5,0	670	357			
BA25I5#120060	123,5	60,0	5,0	803	431			
BA25I5#150040	148,5	40,0	5,0	614	328			
BA25I5#150050	148,5	50,0	5,0	768	412			
BA25I5#150060	148,5	60,0	5,0	922	497			
BA25I5#190040	197,5	40,0	5,0	792	423			
BA25I5#190050	197,5	50,0	5,0	990	530			
BA25I5#190060	197,5	60,0	5,0	1188	636			

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

Hydraulic heated towel rail made of carbon steel



Standard convertible valves **Z11ENR**
For more information on the choice of valves, see p. 310




Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	

Product code **BA25DI5#1200500I5ST9010**

BA25DI5#120050 Article code specified in the price table
 0I5 Connector code see technical datasheet
 ST Standard support code*
 9010 Colour/finish code specified in the Official TUBES COLOUR CHART
 * for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA25DI5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version		Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
				ΔT. 50°C	ΔT. 30°C			
BA25DI5#070040	74,5	40,0	5,0	552	286			
BA25DI5#070050	74,5	50,0	5,0	690	357			
BA25DI5#070060	74,5	60,0	5,0	828	429			
BA25DI5#120040	123,5	40,0	5,0	832	431			
BA25DI5#120050	123,5	50,0	5,0	1039	538			
BA25DI5#120060	123,5	60,0	5,0	1247	646			
BA25DI5#150040	148,5	40,0	5,0	962	498			
BA25DI5#150050	148,5	50,0	5,0	1203	623			
BA25DI5#150060	148,5	60,0	5,0	1443	747			
BA25DI5#190040	197,5	40,0	5,0	1205	624			
BA25DI5#190050	197,5	50,0	5,0	1507	781			
BA25DI5#190060	197,5	60,0	5,0	1809	937			


IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

Hydraulic heated towel rail made of carbon steel



STANDARD HYDRAULIC VERSION
(Connectors 0B1)




CONNECTORS The heated towel rails are supplied as standard with connectors "0B1"

If different connectors are required, strictly indicate this in the order. **IMPORTANT:** the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.


Special connectors

Provided upon request WITH an additional charge of



Connectors on request


Available upon request AT NO additional charge.



Single pipe

Custom-made connectors

Available upon request WITH an additional charge of



Specify "i" and "d"
i min = 5cm d min = 2cm

Standard convertible valves – Z1TLNR

Standard convertible valves – ZITENK
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
ZRCF3G#CRO	Hole-covering washer kit for Heated towel rail	Glossy Chrome	

Product code **BA25G#1200500B1STCRO**

BA25G#120050 Article code specified in the price table
 OB1 Connector code see technical datasheet
 ST Standard support code
 CRO Colour/finish code specified in the Official TUBES COLOUR CHART


ADDITIONAL COLOUR

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

IN STOCK

available in stock with OB1 connections, in the Polished Chrome finish.

Maximum quantity for item: 5 pcs



BA25G#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts CHROMED version		Price Chrome G0 (€)
				ΔT. 50°C	ΔT. 30°C	
BA25G#070040	75,8	40,0	36,6	239	127	IN STOCK
BA25G#070050	75,8	50,0	46,6	299	158	
BA25G#070060	75,8	60,0	56,6	359	189	
BA25G#120040	120,3	40,0	36,6	355	180	
BA25G#120050	120,3	50,0	46,6	444	227	
BA25G#120060	120,3	60,0	56,6	533	274	
BA25G#150040	148,2	40,0	36,6	440	237	
BA25G#150050	148,2	50,0	46,6	550	299	
BA25G#150060	148,2	60,0	56,6	660	362	
BA25G#190040	188,0	40,0	36,6	551	298	
BA25G#190050	188,0	50,0	46,6	689	373	
BA25G#190060	188,0	60,0	56,6	827	449	

IN THE PACK


The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

BATH 25 I5 GALVANIC

Towel warmer composed of horizontal fusion welded elements in 25 mm diameter steel with 34 mm diam. manifolds



STANDARD HYDRAULIC VERSION
(Connectors 0i5)



Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310


	Code	Description	Finishes	Price (€)
	Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	
	Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	
	ZRCF3G#CRO	Hole-covering washer kit for Heated towel rail	Glossy Chrome	

Product code **BA25I5G#1200500I5STCRO**

BA25I5G#120050 Article code specified in the price table
 0I5 Connector code see technical datasheet
 ST Standard support code
 CRO Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA25I5G#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts CHROMED version		Price Chrome G0 (€)
				ΔT. 50°C	ΔT. 30°C	
BA25I5G#070040	79,8	40,0	5,0	239	127	
BA25I5G#070050	79,8	50,0	5,0	299	158	
BA25I5G#070060	79,8	60,0	5,0	359	189	
BA25I5G#120040	124,3	40,0	5,0	355	180	
BA25I5G#120050	124,3	50,0	5,0	444	227	
BA25I5G#120060	124,3	60,0	5,0	533	274	
BA25I5G#150040	152,2	40,0	5,0	440	237	
BA25I5G#150050	152,2	50,0	5,0	550	299	
BA25I5G#150060	152,2	60,0	5,0	660	362	
BA25I5G#190040	192,0	40,0	5,0	551	298	
BA25I5G#190050	192,0	50,0	5,0	689	373	
BA25I5G#190060	192,0	60,0	5,0	827	449	

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.