




SINGLE COLUMN VERSION
(Connectors OC1)


Supplied unless otherwise specified in the order.




CONNECTORS The radiators are supplied as standard with OC1 connections

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur. In the OB2 configuration, two chrome plugs with a diameter of 1/8" are present at the head of the collectors.


Special connectors
Provided upon request WITH an additional charge of



Connectors on request
available upon request AT NO additional charge.



Custom-made connectors
Available upon request WITH an additional charge of



Standard convertible valves - Z1TMNR -
For more information on the choice of valves, see p. 310

Table with 4 columns: Code, Description, Finishes, Price (€). Rows include valve and lockshield options (Z1TCXNR, Z1TMNR) and pipe unions (Z1RACX).

SIZES AVAILABLE TO ORDER:All the sizes in INTERMEDIATE HEIGHT every 10 cm starting from 40 cm up to 220 cm are AVAILABLE TO ORDER and the price is calculated upon request. MAX NUMBER OF ELEMENTS 50

XV 10 Vertical SINGLE

Height (cm)		40		50		60		80		140		160		180		200		220	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	9,9	35		46		56		77		135		152		168		183		196	
8	12,9	47		61		75		103		180		203		224		244		262	
10	15,9	59		76		94		129		225		254		280		305		327	
12	18,9	71		91		113		155		270		305		336		366		392	
14	21,9	83		106		132		181		315		356		392		427		458	
16	24,9	94		122		150		206		360		406		448		488		523	
18	27,9	106		137		169		232		405		457		504		549		589	
20	30,9	118		152		188		258		450		508		560		610		654	
22	33,9	130		167		207		284		495		559		616		671		719	
24	36,9	142		182		226		310		540		610		672		732		785	
26	39,9	153		198		244		335		585		660		728		793		850	
28	42,9	165		213		263		361		630		711		784		854		916	
30	45,9	177		228		282		387		675		762		840		915		981	
32	48,9	189		243		301		413		720		813		896		976		1046	
34	51,9	201		258		320		439		765		864		952		1037		1112	
36	54,9	212		274		338		464		810		914		1008		1098		1177	
38	57,9	224		289		357		490		855		965		1064		1159		1243	
40	60,9	236		304		376		516		900		1016		1120		1220		1308	
42	63,9	248		319		395		542		945		1067		1176		1281		1373	
44	66,9	260		334		414		568		990		1118		1232		1342		1439	
46	69,9	271		350		432		593		1035		1168		1288		1403		1504	
48	72,9	283		365		451		619		1080		1219		1344		1464		1570	
50	75,9	295		380		470		645		1125		1270		1400		1525		1635	
Coefficient «n» Watt ΔT 30°C x Elem.		1,230	3,10	1,251	3,90	1,272	4,80	1,359	6,40	1,334	11,30	1,334	12,80	1,346	14,00	1,357	15,20	1,369	16,20

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310

	Code	Description	Finishes	Price (€)
	GVRG#1... GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection Thermostatic valve* and lockshield assembly for recessed remote connection	Nickel Brushed	
* The price does NOT include the cost of the thermostatic head (see page 320)				
*= Add the thermostatic control head from page xxx				

IXSTEEL XO10 HORIZONTAL SINGLE

Towel warmer composed of horizontal fusion welded elements in 14 mm diameter steel with 34 mm diam. manifolds



EN 442

HW



SINGLE COLUMN VERSION (Connectors OB1)

Supplied unless otherwise specified in the order.



CONNECTORS The radiators are supplied as standard with OB1 connections



If different connectors are required, strictly indicate this in the order. **IMPORTANT:** the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors

Provided upon request **WITH** an additional charge of


Connectors on request

Available upon request **AT NO** additional charge.



Custom-made connectors

Available upon request **WITH** an additional charge of (NOT available in the chrome version)



SIZES AVAILABLE TO ORDER:All the sizes in INTERMEDIATE LENGHT every 10 cm starting from 40 cm up to 220 cm are AVAILABLE TO ORDER and the price is calculated upon request. **MAX NUMBER OF ELEMENTS 50**

XO 10 Horizontal SINGLE

Width (cm)		40		50		60		80		140		160		180		200		220	
No of El.	H (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	9,9	41		51		61		81		142		162		183		203		223	
8	12,9	54		67		81		108		189		216		243		270		297	
10	15,9	68		85		101		135		237		271		304		338		372	
12	18,9	82		102		122		163		286		326		367		408		449	
14	21,9	96		120		144		191		335		383		431		479		526	
16	24,9	110		138		165		220		385		440		495		550		605	
18	27,9	125		156		187		249		436		498		561		623		685	
20	30,9	139		174		209		278		487		557		627		696		766	
22	33,9	154		193		231		308		539		616		693		770		847	
24	36,9	169		211		254		338		592		676		761		845		930	
26	39,9	184		230		276		368		645		737		829		921		1013	
28	42,9	199		249		299		399		698		798		897		997		1097	
30	45,9	215		268		322		430		752		859		966		1074		1181	
32	48,9	230		288		345		461		806		921		1036		1151		1267	
34	51,9	246		308		370		493		862		986		1109		1232		1355	
36	54,9	262		327		392		523		916		1047		1177		1308		1439	
38	57,9	277		347		416		555		971		1110		1249		1387		1526	
40	60,9	293		367		440		587		1027		1174		1320		1467		1614	
42	63,9	310		387		464		619		1083		1238		1393		1548		1702	
44	66,9	326		407		489		651		1140		1303		1466		1629		1791	
46	69,9	342		428		513		684		1197		1368		1539		1710		1881	
48	72,9	358		448		538		717		1255		1434		1613		1792		1971	
50	75,9	375		469		562		750		1312		1500		1687		1875		2062	
Watt ΔT 30°C x Elem.		3,60		4,40		5,20		6,70		11,90		13,60		15,20		16,00		18,40	

Standard convertible valves - Z1TMNR -

For more information on the choice of valves, see p. 310

	Code	Description	Finishes	Price (€)
	Z1TCXNR#ANR12...	Valve (that can be fitted with thermostat) and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stainless Steel	
	Z1TMNR#ANR12SPA	Manual valve and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stainless Steel	
	2 x Z1RACX#M03SPA	STAINLESS STEEL pipe unions for Multi-layer MM24x19x12 - 16x2	Brushed	

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310

	Code	Description	Finishes	Price (€)
	GVRTG#1...	Thermostatic valve* and lockshield assembly for recessed remote connection	Brushed	
	* The price does NOT include the cost of the thermostatic head (see page 320) *= Add the thermostatic control head from page xxx			