


**CONNECTORS** The heated towel rails are supplied as standard with connectors "OB1"

If different connectors are required, strictly indicate this in the order. **IMPORTANT:** the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.


## Special connectors

Provided upon request WITH an additional charge of




## Connectors on request

Available upon request AT NO additional charge.




## Custom-made connectors


Available upon request WITH an additional charge of



## STANDARD HYDRAULIC VERSION (Connectors OB1)



## STANDARD HYDRAULIC VERSION (Connectors B2R)



## Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310


|  | Code            | Description                                                                                                                                                                                         | Finishes                       | Price (€) |
|-------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-----------|
|                                                                                     | Z1TLNR#ANR12... | Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"                                                                                                                               | Standard White Colour C1/C2/C3 |           |
|                                                                                     | Z1TLNRG#ANR12.. | Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"                                                                                                                               | Glossy Chrome                  |           |
|                                                                                     | Z1KITRAC#001    | Union KIT with 6 pieces for Paired valves<br>- 2 Z1RAC#R12CRO 12 mm copper system O-Rings<br>- 2 Z1RAC#R14CRO 14 mm copper system O-Rings<br>- 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm | Glossy Chrome                  |           |
|                                                                                     | ZRCF3#9010      | Couple pipe washer for Heated towel rail                                                                                                                                                            | Standard White                 |           |
|                                                                                     | ZRCF3G#CRO      | Couple pipe washer for Heated towel rail                                                                                                                                                            | Glossy Chrome                  |           |

Product code **SM15K#1200500B1ST9010-SM15KG#1200500B1STCRO**

SM15K#120050-SM15KG#120050 Article code specified in the price table  
 OB1 Connector code see technical datasheet  
 ST Support code  
 9010/CRO Colour/finish code specified in the Official TUBES COLOUR CHART

**ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table  
 provided at the end of this price list.

**IN STOCK**

available in stock with OB1 connections, in the Polished  
 CHROME finish.

Maximum quantity for item: 5 pcs

**SM15K#... Hydraulic**

| Model        | H<br>(cm) | L<br>(cm) | Interaxis<br>(cm) | Heat output in Watts         |                             |                             |                             | Price<br>Standard White<br>Cat. C0 (€) | Price<br>Category<br>C1/C2 (€) | Price<br>Category<br>Cat. C3 (€) | Price<br>Chrome<br>G0 (€) |
|--------------|-----------|-----------|-------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|----------------------------------------|--------------------------------|----------------------------------|---------------------------|
|              |           |           |                   | COLOURED version<br>ΔT. 50°C | CHROMED version<br>ΔT. 30°C | CHROMED version<br>ΔT. 50°C | CHROMED version<br>ΔT. 30°C |                                        |                                |                                  |                           |
| SM15K#080040 | 77,9      | 40,0      | 36,6              | 173                          | 92                          | 138                         | 74                          |                                        |                                |                                  |                           |
| SM15K#080050 | 77,9      | 50,0      | 46,6              | 217                          | 116                         | 172                         | 92                          |                                        |                                |                                  |                           |
| SM15K#080060 | 77,9      | 60,0      | 56,6              | 260                          | 139                         | 206                         | 110                         |                                        |                                |                                  |                           |
| SM15K#120040 | 122,9     | 40,0      | 36,6              | 267                          | 143                         | 214                         | 111                         |                                        |                                |                                  |                           |
| SM15K#120050 | 122,9     | 50,0      | 46,6              | 335                          | 181                         | 266                         | 139                         |                                        |                                |                                  |                           |
| SM15K#120060 | 122,9     | 60,0      | 56,6              | 402                          | 217                         | 319                         | 167                         |                                        |                                |                                  |                           |
| SM15K#150040 | 153,0     | 40,0      | 36,6              | 330                          | 176                         | 264                         | 138                         |                                        |                                |                                  |                           |
| SM15K#150050 | 153,0     | 50,0      | 46,6              | 414                          | 222                         | 329                         | 174                         |                                        |                                |                                  |                           |
| SM15K#150060 | 153,0     | 60,0      | 56,6              | 497                          | 266                         | 395                         | 209                         |                                        |                                |                                  |                           |
| SM15K#175040 | 175,4     | 40,0      | 36,6              | 377                          | 201                         | 302                         | 158                         |                                        |                                |                                  |                           |
| SM15K#175050 | 175,4     | 50,0      | 46,6              | 473                          | 255                         | 376                         | 197                         |                                        |                                |                                  |                           |
| SM15K#175060 | 175,4     | 60,0      | 56,6              | 568                          | 306                         | 451                         | 236                         |                                        |                                |                                  |                           |

**IN STOCK**

In the Chrome (Plated) Version, code SM15K becomes SM15KG

**SM15K#...hydraulic with rear connectors B2R**

| Model           | H<br>(cm) | L<br>(cm) | Interaxis<br>(cm) | Heat output in Watts         |                             |                             |                             | Price<br>Standard White<br>Cat. C0 (€) | Price<br>Category<br>C1/C2 (€) | Price<br>Category<br>Cat. C3 (€) | Price<br>Chrome<br>G0 (€) |
|-----------------|-----------|-----------|-------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|----------------------------------------|--------------------------------|----------------------------------|---------------------------|
|                 |           |           |                   | COLOURED version<br>ΔT. 50°C | CHROMED version<br>ΔT. 30°C | CHROMED version<br>ΔT. 50°C | CHROMED version<br>ΔT. 30°C |                                        |                                |                                  |                           |
| SM15K#080040B2R | 77,9      | 40,0      | 36,6              | 173                          | 92                          | 138                         | 74                          |                                        |                                |                                  |                           |
| SM15K#080050B2R | 77,9      | 50,0      | 46,6              | 217                          | 116                         | 172                         | 92                          |                                        |                                |                                  |                           |
| SM15K#080060B2R | 77,9      | 60,0      | 56,6              | 260                          | 139                         | 206                         | 110                         |                                        |                                |                                  |                           |
| SM15K#120040B2R | 122,9     | 40,0      | 36,6              | 267                          | 143                         | 214                         | 111                         |                                        |                                |                                  |                           |
| SM15K#120050B2R | 122,9     | 50,0      | 46,6              | 335                          | 181                         | 266                         | 139                         |                                        |                                |                                  |                           |
| SM15K#120060B2R | 122,9     | 60,0      | 56,6              | 402                          | 217                         | 319                         | 167                         |                                        |                                |                                  |                           |
| SM15K#150040B2R | 153,0     | 40,0      | 36,6              | 330                          | 176                         | 264                         | 138                         |                                        |                                |                                  |                           |
| SM15K#150050B2R | 153,0     | 50,0      | 46,6              | 414                          | 222                         | 329                         | 174                         |                                        |                                |                                  |                           |
| SM15K#150060B2R | 153,0     | 60,0      | 56,6              | 497                          | 266                         | 395                         | 209                         |                                        |                                |                                  |                           |
| SM15K#175040B2R | 175,4     | 40,0      | 36,6              | 377                          | 201                         | 302                         | 158                         |                                        |                                |                                  |                           |
| SM15K#175050B2R | 175,4     | 50,0      | 46,6              | 473                          | 255                         | 376                         | 197                         |                                        |                                |                                  |                           |
| SM15K#175060B2R | 175,4     | 60,0      | 56,6              | 568                          | 306                         | 451                         | 236                         |                                        |                                |                                  |                           |

In the Chrome (Plated) Version, code SM15K becomes SM15KG

**Remote valve assembly – GVR**

For more information on the choice of valves, see p. 310


|                                                                                                                                   | Code       | Description                                                                                       | Finishes             | Price (€) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------------------------------------|----------------------|-----------|
|                                                                                                                                                                                                                      | GVR#1      | RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection | Chromed<br>Plated    |           |
|                                                                                                                                                                                                                      | GVRTG#1... | RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*                        |                      |           |
|                                                                                                                                                                                                                      | GVR#1...   | RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection | Coloured<br>Coloured |           |
|                                                                                                                                                                                                                      | GVRTC#1... | RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*                        |                      |           |
| Plated finishes: See table of Tubes special finishes<br>Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart<br>* The price does not include the cost of the thermostatic head (see page 320) |            |                                                                                                   |                      |           |

**IN THE PACK**

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



CONNECTOR AT 5 cm VERSION  
(Connectors 0i5)



Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310

|  | Code            | Description                                                                                                                                                                                         | Finishes                          | Price (€) |
|--|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------|
|  | Z1TLNR#ANR12... | Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"                                                                                                                               | Standard White<br>Colour C1/C2/C3 |           |
|  | Z1TLNRG#ANR12.. | Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"                                                                                                                               | Glossy Chrome                     |           |
|  | Z1KITRAC#001    | Union KIT with 6 pieces for Paired valves<br>- 2 Z1RAC#R12CRO 12 mm copper system O-Rings<br>- 2 Z1RAC#R14CRO 14 mm copper system O-Rings<br>- 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm | Glossy Chrome                     |           |
|  | ZRCF3#9010      | Couple pipe washer for Heated towel rail                                                                                                                                                            | Standard White                    |           |
|  | ZRCF3G#CRO      | Couple pipe washer for Heated towel rail                                                                                                                                                            | Glossy Chrome                     |           |

Product code **SM15KI5#1200500I5ST9010-SM15KI5G#1200500I5STCRO**

SM15KI5#120050-SM15KI5G#120050 Article code specified in the price table

0I5 Connector code see technical datasheet

ST Standard support code\*

9010/CRO Colour/finish code specified in the Official TUBES COLOUR CHART

\* for special supports see BRACKET SUPPORTS page

## ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

## SM15KI5#... hydraulic


| Model          | H<br>(cm) | L<br>(cm) | Interaxis<br>(cm) | Heat output in Watts |          |                 |          | Price<br>Standard White<br>Cat. C0 (€) | Price<br>Category<br>C1/C2 (€) | Price<br>Category<br>Cat. C3 (€) | Price<br>Chrome<br>G0 (€) |
|----------------|-----------|-----------|-------------------|----------------------|----------|-----------------|----------|----------------------------------------|--------------------------------|----------------------------------|---------------------------|
|                |           |           |                   | COLOURED version     |          | CHROMED version |          |                                        |                                |                                  |                           |
|                |           |           |                   | ΔT. 50°C             | ΔT. 30°C | ΔT. 50°C        | ΔT. 30°C |                                        |                                |                                  |                           |
| SM15KI5#080040 | 81,9      | 40,0      | 5,0               | 173                  | 92       | 138             | 74       |                                        |                                |                                  |                           |
| SM15KI5#080050 | 81,9      | 50,0      | 5,0               | 217                  | 116      | 172             | 92       |                                        |                                |                                  |                           |
| SM15KI5#080060 | 81,9      | 60,0      | 5,0               | 260                  | 139      | 206             | 110      |                                        |                                |                                  |                           |
| SM15KI5#120040 | 126,9     | 40,0      | 5,0               | 267                  | 143      | 214             | 111      |                                        |                                |                                  |                           |
| SM15KI5#120050 | 126,9     | 50,0      | 5,0               | 335                  | 181      | 266             | 139      |                                        |                                |                                  |                           |
| SM15KI5#120060 | 126,9     | 60,0      | 5,0               | 402                  | 217      | 319             | 167      |                                        |                                |                                  |                           |
| SM15KI5#150040 | 157,0     | 40,0      | 5,0               | 330                  | 176      | 264             | 138      |                                        |                                |                                  |                           |
| SM15KI5#150050 | 157,0     | 50,0      | 5,0               | 414                  | 222      | 329             | 174      |                                        |                                |                                  |                           |
| SM15KI5#150060 | 157,0     | 60,0      | 5,0               | 497                  | 266      | 395             | 209      |                                        |                                |                                  |                           |
| SM15KI5#175040 | 179,4     | 40,0      | 5,0               | 377                  | 201      | 302             | 158      |                                        |                                |                                  |                           |
| SM15KI5#175050 | 179,4     | 50,0      | 5,0               | 473                  | 255      | 376             | 197      |                                        |                                |                                  |                           |
| SM15KI5#175060 | 179,4     | 60,0      | 5,0               | 568                  | 306      | 451             | 236      |                                        |                                |                                  |                           |

In the Chrome (Plated) Version, code SM15KI5 becomes SM15KI5G



## MIXED VERSION B2R WITH STANDARD EDGE CAP\* and Remote GVR connection


(Available only for Extra\_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap




Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)




## STANDARD MIXED VERSION - B2R - WITH ECODesign THERMOSTAT


Connection via GVR Remote Valve Assembly



Connection to the electricity mains




ECODesign Room Thermostat




## MIXED VERSION B2R WITH WIRELESS ECODesign CONTROLS

Connection via GVR Remote Valve Assembly





Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)



**ADDITIONAL COLOUR CHARGES** Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

### STANDARD B2R MIXED VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

| Version connectable to the GVR via rear connectors. | Colour code of the edge cap |                |        |          | Code DESIGN* | H (cm) | L (cm) | Interaxis (cm) | COLOURED version |             | CHROMED version |             | Electrical Resistance (Watts) | Price Standard White Cat. C0 (€) | Price Category C1/C2 (€) | Price Category Cat. C3 (€) | Price Chrome G0 (€) |
|-----------------------------------------------------|-----------------------------|----------------|--------|----------|--------------|--------|--------|----------------|------------------|-------------|-----------------|-------------|-------------------------------|----------------------------------|--------------------------|----------------------------|---------------------|
|                                                     | White                       | Anthracte Grey | Chrome | Edge Cap |              |        |        |                | Watt DT50°C      | Watt DT30°C | Watt DT50°C     | Watt DT30°C |                               |                                  |                          |                            |                     |
| SM15KMSX#080040                                     | U5                          | V5             | Z5     | T5       |              | 77,9   | 40,0   | 36,6           | 173              | 92          | 138             | 74          | 200 W                         |                                  |                          |                            |                     |
| SM15KMSX#080050                                     | U5                          | V5             | Z5     | T5       |              | 77,9   | 50,0   | 46,6           | 217              | 116         | 172             | 92          | 200 W                         |                                  |                          |                            |                     |
| SM15KMSX#080060                                     | U1                          | V1             | Z1     | T6       |              | 77,9   | 60,0   | 56,6           | 260              | 139         | 206             | 110         | 300 W                         |                                  |                          |                            |                     |
| SM15KMSX#120040                                     | U1                          | V1             | Z1     | T6       |              | 122,9  | 40,0   | 36,6           | 267              | 143         | 214             | 111         | 300 W                         |                                  |                          |                            |                     |
| SM15KMSX#120050                                     | U1                          | V1             | Z1     | T6       |              | 122,9  | 50,0   | 46,6           | 335              | 181         | 266             | 139         | 300 W                         |                                  |                          |                            |                     |
| SM15KMSX#120060                                     | U1                          | V1             | Z1     | T7       |              | 122,9  | 60,0   | 56,6           | 402              | 217         | 319             | 167         | 400 W                         |                                  |                          |                            |                     |
| SM15KMSX#150040                                     | U6                          | V6             | Z6     | T7       |              | 153,0  | 40,0   | 36,6           | 330              | 176         | 264             | 138         | 400 W                         |                                  |                          |                            |                     |
| SM15KMSX#150050                                     | U6                          | V6             | Z6     | T7       |              | 153,0  | 50,0   | 46,6           | 414              | 222         | 329             | 174         | 400 W                         |                                  |                          |                            |                     |
| SM15KMSX#150060                                     | U6                          | V6             | Z6     | T7       |              | 153,0  | 60,0   | 56,6           | 497              | 266         | 395             | 209         | 400 W                         |                                  |                          |                            |                     |
| SM15KMSX#175040                                     | U6                          | V6             | Z6     | T7       |              | 175,4  | 40,0   | 36,6           | 377              | 201         | 302             | 158         | 400 W                         |                                  |                          |                            |                     |
| SM15KMSX#175050                                     | U2                          | V2             | Z2     | T8       |              | 175,4  | 50,0   | 46,6           | 473              | 255         | 376             | 197         | 600 W                         |                                  |                          |                            |                     |
| SM15KMSX#175060                                     | U2                          | V2             | Z2     | T8       |              | 175,4  | 60,0   | 56,6           | 568              | 306         | 451             | 236         | 600 W                         |                                  |                          |                            |                     |

\* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

### STANDARD B2R MIXED VERSION WITH ECODesign THERMOSTAT

| Version connectable to the GVR via rear connectors. | Thermostat code |        |            |       |        |        |        |                | COLOURED version |             | CHROMED version |             | Electrical Resistance (Watts) | Price Standard White Cat. C0 (€) | Price Category C1/C2 (€) | Price Category Cat. C3 (€) | Price Chrome G0 (€) |
|-----------------------------------------------------|-----------------|--------|------------|-------|--------|--------|--------|----------------|------------------|-------------|-----------------|-------------|-------------------------------|----------------------------------|--------------------------|----------------------------|---------------------|
|                                                     | ROOM*           |        | RADIATOR** |       |        |        |        |                | Watt DT50°C      | Watt DT30°C | Watt DT50°C     | Watt DT30°C |                               |                                  |                          |                            |                     |
|                                                     | White           | Chrome | Matt Black | White | Chrome | H (cm) | L (cm) | Interaxis (cm) |                  |             |                 |             |                               |                                  |                          |                            |                     |
| SM15KMST#080040                                     | J5              | J7     | JN         | N0    | N9     | 77,9   | 40,0   | 36,6           | 173              | 92          | 138             | 74          | 200 W                         |                                  |                          |                            |                     |
| SM15KMST#080050                                     | J5              | J7     | JN         | N0    | N9     | 77,9   | 50,0   | 46,6           | 217              | 116         | 172             | 92          | 200 W                         |                                  |                          |                            |                     |
| SM15KMST#080060                                     | F5              | F7     | JO         | N1    | N5     | 77,9   | 60,0   | 56,6           | 260              | 139         | 206             | 110         | 300 W                         |                                  |                          |                            |                     |
| SM15KMST#120040                                     | F5              | F7     | JO         | N1    | N5     | 122,9  | 40,0   | 36,6           | 267              | 143         | 214             | 111         | 300 W                         |                                  |                          |                            |                     |
| SM15KMST#120050                                     | F5              | F7     | JO         | N1    | N5     | 122,9  | 50,0   | 46,6           | 335              | 181         | 266             | 139         | 300 W                         |                                  |                          |                            |                     |
| SM15KMST#120060                                     | J6              | J8     | JP         | N1    | N5     | 122,9  | 60,0   | 56,6           | 402              | 217         | 319             | 167         | 400 W                         |                                  |                          |                            |                     |
| SM15KMST#150040                                     | J6              | J8     | JP         | NB    | NA     | 153,0  | 40,0   | 36,6           | 330              | 176         | 264             | 138         | 400 W                         |                                  |                          |                            |                     |
| SM15KMST#150050                                     | J6              | J8     | JP         | NB    | NA     | 153,0  | 50,0   | 46,6           | 414              | 222         | 329             | 174         | 400 W                         |                                  |                          |                            |                     |
| SM15KMST#150060                                     | J6              | J8     | JP         | NB    | NA     | 153,0  | 60,0   | 56,6           | 497              | 266         | 395             | 209         | 400 W                         |                                  |                          |                            |                     |
| SM15KMST#175040                                     | J6              | J8     | JP         | NB    | NA     | 175,4  | 40,0   | 36,6           | 377              | 201         | 302             | 158         | 400 W                         |                                  |                          |                            |                     |
| SM15KMST#175050                                     | G5              | G7     | JQ         | N2    | N6     | 175,4  | 50,0   | 46,6           | 473              | 255         | 376             | 197         | 600 W                         |                                  |                          |                            |                     |
| SM15KMST#175060                                     | G5              | G7     | JO         | N2    | N6     | 175,4  | 60,0   | 56,6           | 568              | 306         | 451             | 236         | 600 W                         |                                  |                          |                            |                     |

\* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.

\*\* The RADIATOR thermostat is not ECODesign

### STANDARD B2R MIXED VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

| Version connectable to the GVR via rear connectors. | Colour code of the edge cap |                |        |          | Code DESIGN* | H (cm) | L (cm) | Interaxis (cm) | COLOURED version |             | CHROMED version |             | Electrical Resistance (Watts) | Price Standard White Cat. C0 (€) | Price Category C1/C2 (€) | Price Category Cat. C3 (€) | Price Chrome G0 (€) |
|-----------------------------------------------------|-----------------------------|----------------|--------|----------|--------------|--------|--------|----------------|------------------|-------------|-----------------|-------------|-------------------------------|----------------------------------|--------------------------|----------------------------|---------------------|
|                                                     | White                       | Anthracte Grey | Chrome | Edge Cap |              |        |        |                | Watt DT50°C      | Watt DT30°C | Watt DT50°C     | Watt DT30°C |                               |                                  |                          |                            |                     |
| SM15KMSW#080040                                     | U5                          | V5             | Z5     | T5       |              | 77,9   | 40,0   | 36,6           | 173              | 92          | 138             | 74          | 200 W                         |                                  |                          |                            |                     |
| SM15KMSW#080050                                     | U5                          | V5             | Z5     | T5       |              | 77,9   | 50,0   | 46,6           | 217              | 116         | 172             | 92          | 200 W                         |                                  |                          |                            |                     |
| SM15KMSW#080060                                     | U1                          | V1             | Z1     | T6       |              | 77,9   | 60,0   | 56,6           | 260              | 139         | 206             | 110         | 300 W                         |                                  |                          |                            |                     |
| SM15KMSW#120040                                     | U1                          | V1             | Z1     | T6       |              | 122,9  | 40,0   | 36,6           | 267              | 143         | 214             | 111         | 300 W                         |                                  |                          |                            |                     |
| SM15KMSW#120050                                     | U1                          | V1             | Z1     | T6       |              | 122,9  | 50,0   | 46,6           | 335              | 181         | 266             | 139         | 300 W                         |                                  |                          |                            |                     |
| SM15KMSW#120060                                     | U1                          | V1             | Z1     | T7       |              | 122,9  | 60,0   | 56,6           | 402              | 217         | 319             | 167         | 400 W                         |                                  |                          |                            |                     |
| SM15KMSW#150040                                     | U6                          | V6             | Z6     | T7       |              | 153,0  | 40,0   | 36,6           | 330              | 176         | 264             | 138         | 400 W                         |                                  |                          |                            |                     |
| SM15KMSW#150050                                     | U6                          | V6             | Z6     | T7       |              | 153,0  | 50,0   | 46,6           | 414              | 222         | 329             | 174         | 400 W                         |                                  |                          |                            |                     |
| SM15KMSW#150060                                     | U6                          | V6             | Z6     | T7       |              | 153,0  | 60,0   | 56,6           | 497              | 266         | 395             | 209         | 400 W                         |                                  |                          |                            |                     |
| SM15KMSW#175040                                     | U6                          | V6             | Z6     | T7       |              | 175,4  | 40,0   | 36,6           | 377              | 201         | 302             | 158         | 400 W                         |                                  |                          |                            |                     |
| SM15KMSW#175050                                     | U2                          | V2             | Z2     | T8       |              | 175,4  | 50,0   | 46,6           | 473              | 255         | 376             | 197         | 600 W                         |                                  |                          |                            |                     |
| SM15KMSW#175060                                     | U2                          | V2             | Z2     | T8       |              | 175,4  | 60,0   | 56,6           | 568              | 306         | 451             | 236         | 600 W                         |                                  |                          |                            |                     |

\* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

### Remote valve assembly – GVR

For more information on the choice of valves, see p. 310

|  | Code                                                                                                                                                                                                                 | Description                                                                                                                                                                     | Finishes             | Price (€) |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----------|
|                                                                                     | GVR#1<br>GVRTG#1...                                                                                                                                                                                                  | RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection<br>RECESSED thermostatic valve and Lockshield assembly for REMOTE connection* | Chromed<br>Plated    |           |
|                                                                                     | GVR#1...<br>GVRTC#1...                                                                                                                                                                                               | RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection<br>RECESSED thermostatic valve and Lockshield assembly for REMOTE connection* | Coloured<br>Coloured |           |
|                                                                                     | Plated finishes: See table of Tubes special finishes<br>Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart<br>* The price does not include the cost of the thermostatic head (see page 320) |                                                                                                                                                                                 |                      |           |

### IN THE PACK


The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.





## TRADITIONAL MIXED VERSION WITH EDGE CAP



(Available only for Extra\_CEE market and/or connected to a domotic system with features compliant with the ECODESIGN standard)



Connection to the electricity mains with Standard Edge Cap



Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)




Connection with traditional Valves




## TRADITIONAL MIXED VERSION WITH ECODESIGN THERMOSTAT



Connection with traditional Valves



ECODESIGN Room Thermostat




Connection with traditional Valves




## TRADITIONAL MIXED VERSION WITH WIRELESS ECODESIGN CONTROLS

Connection with traditional Valves





Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)



ECODESIGN digital wireless chronothermostat + Receiver

**ADDITIONAL COLOUR CHARGES** Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

### TRADITIONAL MIXED VERSION WITH EDGE CAP (connectable version via kit and traditional valves)

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

| Version for connection with traditional connectors | Colour code of the edge cap |                 |        |          | Code DESIGN* | H (cm) | L (cm) | Interaxis (cm) | COLOURED version |             | CHROMED version |             | Electrical Resistance (Watts) | Price Standard White Cat. C0 (€) | Price Category C1/C2 (€) | Price Category Cat. C3 (€) | Price Chrome G0 (€) |
|----------------------------------------------------|-----------------------------|-----------------|--------|----------|--------------|--------|--------|----------------|------------------|-------------|-----------------|-------------|-------------------------------|----------------------------------|--------------------------|----------------------------|---------------------|
|                                                    | White                       | Anthracite Grey | Chrome | Edge Cap |              |        |        |                | Watt DT50°C      | Watt DT30°C | Watt DT50°C     | Watt DT30°C |                               |                                  |                          |                            |                     |
| SM15KMX#080040                                     | KU5                         | KV5             | KZ5    | KT5      |              | 77,9   | 40,0   | 29,4           | 173              | 92          | 138             | 74          | 200 W                         |                                  |                          |                            |                     |
| SM15KMX#080050                                     | KU5                         | KV5             | KZ5    | KT5      |              | 77,9   | 50,0   | 39,4           | 217              | 116         | 172             | 92          | 200 W                         |                                  |                          |                            |                     |
| SM15KMX#080060                                     | KU1                         | KV1             | KZ1    | KT6      |              | 77,9   | 60,0   | 49,4           | 260              | 139         | 206             | 110         | 300 W                         |                                  |                          |                            |                     |
| SM15KMX#120040                                     | KU1                         | KV1             | KZ1    | KT6      |              | 122,9  | 40,0   | 29,4           | 267              | 143         | 214             | 111         | 300 W                         |                                  |                          |                            |                     |
| SM15KMX#120050                                     | KU1                         | KV1             | KZ1    | KT6      |              | 122,9  | 50,0   | 39,4           | 335              | 181         | 266             | 139         | 300 W                         |                                  |                          |                            |                     |
| SM15KMX#120060                                     | KU1                         | KV1             | KZ1    | KT7      |              | 122,9  | 60,0   | 49,4           | 402              | 217         | 319             | 167         | 400 W                         |                                  |                          |                            |                     |
| SM15KMX#150040                                     | KU6                         | KV6             | KZ6    | KT7      |              | 153,0  | 40,0   | 29,4           | 330              | 176         | 264             | 138         | 400 W                         |                                  |                          |                            |                     |
| SM15KMX#150050                                     | KU6                         | KV6             | KZ6    | KT7      |              | 153,0  | 50,0   | 39,4           | 414              | 222         | 329             | 174         | 400 W                         |                                  |                          |                            |                     |
| SM15KMX#150060                                     | KU6                         | KV6             | KZ6    | KT7      |              | 153,0  | 60,0   | 49,4           | 497              | 266         | 395             | 209         | 400 W                         |                                  |                          |                            |                     |
| SM15KMX#175040                                     | KU6                         | KV6             | KZ6    | KT7      |              | 175,4  | 40,0   | 29,4           | 377              | 201         | 302             | 158         | 400 W                         |                                  |                          |                            |                     |
| SM15KMX#175050                                     | KU2                         | KV2             | KZ2    | KT8      |              | 175,4  | 50,0   | 39,4           | 473              | 255         | 376             | 197         | 600 W                         |                                  |                          |                            |                     |
| SM15KMX#175060                                     | KU2                         | KV2             | KZ2    | KT8      |              | 175,4  | 60,0   | 49,4           | 568              | 306         | 451             | 236         | 600 W                         |                                  |                          |                            |                     |

\* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

### TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT (connectable version via kit and traditional valves)

| Version for connection with traditional connectors | Thermostat code ROOM* |        |            | H (cm) | L (cm) | Interaxis (cm) | COLOURED version |             | CHROMED version |             | Electrical Resistance (Watts) | Price Standard White Cat. C0 (€) | Price Category C1/C2 (€) | Price Category Cat. C3 (€) | Price Chrome G0 (€) |
|----------------------------------------------------|-----------------------|--------|------------|--------|--------|----------------|------------------|-------------|-----------------|-------------|-------------------------------|----------------------------------|--------------------------|----------------------------|---------------------|
|                                                    | White                 | Chrome | Matt Black |        |        |                | Watt DT50°C      | Watt DT30°C | Watt DT50°C     | Watt DT30°C |                               |                                  |                          |                            |                     |
| SM15KMT#080040                                     | KJ5                   | KJ7    | KJN        | 77,9   | 40,0   | 29,4           | 173              | 92          | 138             | 74          | 200 W                         |                                  |                          |                            |                     |
| SM15KMT#080050                                     | KJ5                   | KJ7    | KJN        | 77,9   | 50,0   | 39,4           | 217              | 116         | 172             | 92          | 200 W                         |                                  |                          |                            |                     |
| SM15KMT#080060                                     | KF5                   | KF7    | KJO        | 77,9   | 60,0   | 49,4           | 260              | 139         | 206             | 110         | 300 W                         |                                  |                          |                            |                     |
| SM15KMT#120040                                     | KF5                   | KF7    | KJO        | 122,9  | 40,0   | 29,4           | 267              | 143         | 214             | 111         | 300 W                         |                                  |                          |                            |                     |
| SM15KMT#120050                                     | KF5                   | KF7    | KJO        | 122,9  | 50,0   | 39,4           | 335              | 181         | 266             | 139         | 300 W                         |                                  |                          |                            |                     |
| SM15KMT#120060                                     | KJ6                   | KJ8    | KJP        | 122,9  | 60,0   | 49,4           | 402              | 217         | 319             | 167         | 400 W                         |                                  |                          |                            |                     |
| SM15KMT#150040                                     | KJ6                   | KJ8    | KJP        | 153,0  | 40,0   | 29,4           | 330              | 176         | 264             | 138         | 400 W                         |                                  |                          |                            |                     |
| SM15KMT#150050                                     | KJ6                   | KJ8    | KJP        | 153,0  | 50,0   | 39,4           | 414              | 222         | 329             | 174         | 400 W                         |                                  |                          |                            |                     |
| SM15KMT#150060                                     | KJ6                   | KJ8    | KJP        | 153,0  | 60,0   | 49,4           | 497              | 266         | 395             | 209         | 400 W                         |                                  |                          |                            |                     |
| SM15KMT#175040                                     | KJ6                   | KJ8    | KJP        | 175,4  | 40,0   | 29,4           | 377              | 201         | 302             | 158         | 400 W                         |                                  |                          |                            |                     |
| SM15KMT#175050                                     | KG5                   | KG7    | KJQ        | 175,4  | 50,0   | 39,4           | 473              | 255         | 376             | 197         | 600 W                         |                                  |                          |                            |                     |
| SM15KMT#175060                                     | KG5                   | KG7    | KJQ        | 175,4  | 60,0   | 49,4           | 568              | 306         | 451             | 236         | 600 W                         |                                  |                          |                            |                     |

\* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.

### TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS (connectable version via kit and traditional valves)

The electric version with WIRELESS control includes the digital Chronothermostat Kit

| Version for connection with traditional connectors | Colour code of the edge cap |                 |        |          | Code DESIGN* | H (cm) | L (cm) | Interaxis (cm) | COLOURED version |             | CHROMED version |             | Electrical Resistance (Watts) | Price Standard White Cat. C0 (€) | Price Category C1/C2 (€) | Price Category Cat. C3 (€) | Price Chrome G0 (€) |
|----------------------------------------------------|-----------------------------|-----------------|--------|----------|--------------|--------|--------|----------------|------------------|-------------|-----------------|-------------|-------------------------------|----------------------------------|--------------------------|----------------------------|---------------------|
|                                                    | White                       | Anthracite Grey | Chrome | Edge Cap |              |        |        |                | Watt DT50°C      | Watt DT30°C | Watt DT50°C     | Watt DT30°C |                               |                                  |                          |                            |                     |
| SM15KMW#080040                                     | KU5                         | KV5             | KZ5    | KT5      |              | 77,9   | 40,0   | 29,4           | 173              | 92          | 138             | 74          | 200 W                         |                                  |                          |                            |                     |
| SM15KMW#080050                                     | KU2                         | KV2             | KZ2    | KT8      |              | 77,9   | 50,0   | 39,4           | 217              | 116         | 172             | 92          | 200 W                         |                                  |                          |                            |                     |
| SM15KMW#080060                                     | KU5                         | KV5             | KZ5    | KT5      |              | 77,9   | 60,0   | 49,4           | 260              | 139         | 206             | 110         | 300 W                         |                                  |                          |                            |                     |
| SM15KMW#120040                                     | KU1                         | KV1             | KZ1    | KT6      |              | 122,9  | 40,0   | 29,4           | 267              | 143         | 214             | 111         | 300 W                         |                                  |                          |                            |                     |
| SM15KMW#120050                                     | KU1                         | KV1             | KZ1    | KT6      |              | 122,9  | 50,0   | 39,4           | 335              | 181         | 266             | 139         | 300 W                         |                                  |                          |                            |                     |
| SM15KMW#120060                                     | KU1                         | KV1             | KZ1    | KT6      |              | 122,9  | 60,0   | 49,4           | 402              | 217         | 319             | 167         | 400 W                         |                                  |                          |                            |                     |
| SM15KMW#150040                                     | KU1                         | KV1             | KZ1    | KT7      |              | 153,0  | 40,0   | 29,4           | 330              | 176         | 264             | 138         | 400 W                         |                                  |                          |                            |                     |
| SM15KMW#150050                                     | KU6                         | KV6             | KZ6    | KT7      |              | 153,0  | 50,0   | 39,4           | 414              | 222         | 329             | 174         | 400 W                         |                                  |                          |                            |                     |
| SM15KMW#150060                                     | KU6                         | KV6             | KZ6    | KT7      |              | 153,0  | 60,0   | 49,4           | 497              | 266         | 395             | 209         | 400 W                         |                                  |                          |                            |                     |
| SM15KMW#175040                                     | KU6                         | KV6             | KZ6    | KT7      |              | 175,4  | 40,0   | 29,4           | 377              | 201         | 302             | 158         | 400 W                         |                                  |                          |                            |                     |
| SM15KMW#175050                                     | KU6                         | KV6             | KZ6    | KT7      |              | 175,4  | 50,0   | 39,4           | 473              | 255         | 376             | 197         | 600 W                         |                                  |                          |                            |                     |
| SM15KMW#175060                                     | KU2                         | KV2             | KZ2    | KT8      |              | 175,4  | 60,0   | 49,4           | 568              | 306         | 451             | 236         | 600 W                         |                                  |                          |                            |                     |

\* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

### Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310


|  | Code            | Description                                                                                                                                                                                         | Finishes                       | Price (€) |
|------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-----------|
|                                                                                    | Z1TLNR#ANR12... | Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"                                                                                                                               | Standard White Colour C1/C2/C3 |           |
|                                                                                    | Z1TLNRG#ANR12.. | Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"                                                                                                                               | Glossy Chrome                  |           |
|                                                                                    | Z1KITRAC#001    | Union KIT with 6 pieces for Paired valves<br>- 2 Z1RAC#R12CRO 12 mm copper system O-Rings<br>- 2 Z1RAC#R14CRO 14 mm copper system O-Rings<br>- 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm | Glossy Chrome                  |           |
|                                                                                    | ZRCF3#9010      | Couple pipe washer for Heated towel rail                                                                                                                                                            | Standard White                 |           |
|                                                                                    | ZRCF3G#CRO      | Couple pipe washer for Heated towel rail                                                                                                                                                            | Glossy Chrome                  |           |






## ELECTRIC VERSION WITH EDGE CAP


(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODESIGN regulations)




Connection to the electricity mains with Standard Edge Cap




Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)




## ELECTRIC VERSION WITH ECODESIGN THERMOSTAT




Connection to the electricity mains




ECODESIGN Room Thermostat





## ELECTRIC VERSION WITH WIRELESS ECODESIGN CONTROLS



Wireless connection with Standard Edge Cap



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)



ECODESIGN digital wireless chronothermostat + Receiver



Digital Chronothermostat (code ZRF007)

Product code **SM15KEW#120050U1ZRF007ST9010**

SM15KEW#120050 Article code specified in the price table  
 U1 Heating element code  
 ZRF007 Thermostat code  
 ST Standard support code\*  
 9010 Colour/finish code specified in the Official TUBES COLOUR CHART  
 \* Special supports NOT available

**ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

**ELECTRIC VERSION WITH EDGE CAP**

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

| Model          | Colour code of the edge cap |                 |        | Code DESIGN* Edge Cap | H (cm) | L (cm) | Electrical Resistance (Watts) | Price                      | Price              | Price                | Price         |
|----------------|-----------------------------|-----------------|--------|-----------------------|--------|--------|-------------------------------|----------------------------|--------------------|----------------------|---------------|
|                | White                       | Anthracite Grey | Chrome |                       |        |        |                               | Standard White Cat. C0 (€) | Category C1/C2 (€) | Category Cat. C3 (€) | Chrome G0 (€) |
| SM15KEL#080040 | U5                          | V5              | Z5     | T5                    | 77,9   | 40,0   | 200 W                         |                            |                    |                      |               |
| SM15KEL#080050 | U5                          | V5              | Z5     | T5                    | 77,9   | 50,0   | 200 W                         |                            |                    |                      |               |
| SM15KEL#080060 | U1                          | V1              | Z1     | T6                    | 77,9   | 60,0   | 300 W                         |                            |                    |                      |               |
| SM15KEL#120040 | U1                          | V1              | Z1     | T6                    | 122,9  | 40,0   | 300 W                         |                            |                    |                      |               |
| SM15KEL#120050 | U1                          | V1              | Z1     | T6                    | 122,9  | 50,0   | 300 W                         |                            |                    |                      |               |
| SM15KEL#120060 | U6                          | V6              | Z6     | T7                    | 122,9  | 60,0   | 400 W                         |                            |                    |                      |               |
| SM15KEL#150040 | U6                          | V6              | Z6     | T7                    | 153,0  | 40,0   | 400 W                         |                            |                    |                      |               |
| SM15KEL#150050 | U6                          | V6              | Z6     | T7                    | 153,0  | 50,0   | 400 W                         |                            |                    |                      |               |
| SM15KEL#150060 | U6                          | V6              | Z6     | T7                    | 153,0  | 60,0   | 400 W                         |                            |                    |                      |               |
| SM15KEL#175040 | U6                          | V6              | Z6     | T7                    | 175,4  | 40,0   | 400 W                         |                            |                    |                      |               |
| SM15KEL#175050 | U2                          | V2              | Z2     | T8                    | 175,4  | 50,0   | 600 W                         |                            |                    |                      |               |
| SM15KEL#175060 | U2                          | V2              | Z2     | T8                    | 175,4  | 60,0   | 600 W                         |                            |                    |                      |               |

\* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

**ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT**

| Model          | Thermostat code |        |            |            |        | H<br>(cm) | L<br>(cm) | Electrical<br>Resistance<br>(Watts) | Price          | Price     | Price       | Price  |
|----------------|-----------------|--------|------------|------------|--------|-----------|-----------|-------------------------------------|----------------|-----------|-------------|--------|
|                | ROOM*           |        |            | RADIATOR** |        |           |           |                                     | Standard White | Category  | Category    | Chrome |
|                | White           | Chrome | Matt Black | White      | Chrome |           |           |                                     | Cat. C0 (€)    | C1/C2 (€) | Cat. C3 (€) | G0 (€) |
| SM15KET#080040 | J5              | J7     | JN         | N0         | N9     | 77,9      | 40,0      | 200 W                               |                |           |             |        |
| SM15KET#080050 | J5              | J7     | JN         | N0         | N9     | 77,9      | 50,0      | 200 W                               |                |           |             |        |
| SM15KET#080060 | F5              | F7     | JO         | N1         | N5     | 77,9      | 60,0      | 300 W                               |                |           |             |        |
| SM15KET#120040 | F5              | F7     | JO         | N1         | N5     | 122,9     | 40,0      | 300 W                               |                |           |             |        |
| SM15KET#120050 | F5              | F7     | JO         | N1         | N5     | 122,9     | 50,0      | 300 W                               |                |           |             |        |
| SM15KET#120060 | J6              | J8     | JP         | NB         | NA     | 122,9     | 60,0      | 400 W                               |                |           |             |        |
| SM15KET#150040 | J6              | J8     | JP         | NB         | NA     | 153,0     | 40,0      | 400 W                               |                |           |             |        |
| SM15KET#150050 | J6              | J8     | JP         | NB         | NA     | 153,0     | 50,0      | 400 W                               |                |           |             |        |
| SM15KET#150060 | J6              | J8     | JP         | NB         | NA     | 153,0     | 60,0      | 400 W                               |                |           |             |        |
| SM15KET#175040 | J6              | J6     | JP         | NB         | NA     | 175,4     | 40,0      | 400 W                               |                |           |             |        |
| SM15KET#175050 | G5              | G7     | JQ         | N2         | N6     | 175,4     | 50,0      | 600 W                               |                |           |             |        |
| SM15KET#175060 | G5              | G7     | JQ         | N2         | N6     | 175,4     | 60,0      | 600 W                               |                |           |             |        |

\* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of

\*\* The RADIATOR thermostat is not ECODesign

**ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS**

The electric version with WIRELESS control includes the digital Chronothermostat Kit

| Model          | Colour code of the edge cap |                 |        | Code DESIGN* Edge Cap | Adjustment code WIRELESS THERMOSTAT | H (cm) | L (cm) | Electrical Resistance (Watts) | Price                      | Price              | Price                | Price         |
|----------------|-----------------------------|-----------------|--------|-----------------------|-------------------------------------|--------|--------|-------------------------------|----------------------------|--------------------|----------------------|---------------|
|                | White                       | Anthracite Grey | Chrome |                       |                                     |        |        |                               | Standard White Cat. C0 (€) | Category C1/C2 (€) | Category Cat. C3 (€) | Chrome G0 (€) |
| SM15KEW#080040 | U5                          | V5              | Z5     | T5                    | ZRF007                              | 77,9   | 40,0   | 200 W                         |                            |                    |                      |               |
| SM15KEW#080050 | U5                          | V5              | Z5     | T5                    | ZRF007                              | 77,9   | 50,0   | 200 W                         |                            |                    |                      |               |
| SM15KEW#080060 | U1                          | V1              | Z1     | T6                    | ZRF007                              | 77,9   | 60,0   | 300 W                         |                            |                    |                      |               |
| SM15KEW#120040 | U1                          | V1              | Z1     | T6                    | ZRF007                              | 122,9  | 40,0   | 300 W                         |                            |                    |                      |               |
| SM15KEW#120050 | U1                          | V1              | Z1     | T6                    | ZRF007                              | 122,9  | 50,0   | 300 W                         |                            |                    |                      |               |
| SM15KEW#120060 | U6                          | V6              | Z6     | T7                    | ZRF007                              | 122,9  | 60,0   | 400 W                         |                            |                    |                      |               |
| SM15KEW#150040 | U6                          | V6              | Z6     | T7                    | ZRF007                              | 153,0  | 40,0   | 400 W                         |                            |                    |                      |               |
| SM15KEW#150050 | U6                          | V6              | Z6     | T7                    | ZRF007                              | 153,0  | 50,0   | 400 W                         |                            |                    |                      |               |
| SM15KEW#150060 | U6                          | V6              | Z6     | T7                    | ZRF007                              | 153,0  | 60,0   | 400 W                         |                            |                    |                      |               |
| SM15KEW#175040 | U6                          | V6              | Z6     | T7                    | ZRF007                              | 175,4  | 40,0   | 400 W                         |                            |                    |                      |               |
| SM15KEW#175050 | U2                          | V2              | Z2     | T8                    | ZRF007                              | 175,4  | 50,0   | 600 W                         |                            |                    |                      |               |
| SM15KEW#175060 | U2                          | V2              | Z2     | T8                    | ZRF007                              | 175,4  | 60,0   | 600 W                         |                            |                    |                      |               |

\* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of